KRISTOPHER K. EICHHORN HWC ENGINEERING 135 N. PENNSYLVANIA STREET, SUITE 2800 INDIANAPOLIS, INDIANA 46204 PHONE: (317) 347-3663

**DEVELOPED BY:** LENNAR HOMES OF INDIANA, LLC 11555 N. MERIDIAN ST., SUITE 400 CARMEL, INDIANA 46032 PHONE: (317) 659-3200

> SOURCE OF TITLE INST. #202303589

Curve Table						
Curve #	Length	Radius	Chord Length	Chord Bearing	Delta	
C-1	114.91	1973.00'	114.89'	S88°35'03"W	3°20'13"	
C-2	116.48	2000.00'	116.46	S88°35'03"W	3°20'13"	
C-3	118.05	2027.00'	118.04	S88°35'03"W	3°20′13″	
C-4	31.42'	20.00'	28.28'	S48°05'03"E	90°00'00"	
C-5	31.42'	20.00'	28.28'	S41°54'57"W	90°00'00"	
C-6	31.42'	20.00'	28.28'	N48°05'03"W	90°00'00"	
C-7	31.42'	20.00'	28.28'	N41°54'57"E	90°00'00"	
C-8	46.61'	60.00'	45.45'	S25°20'23"E	44°30'40"	
C-9	291.11'	62.00'	88.43'	N86°54'57"E	269°01'20"	
C-10	46.61'	60.00'	45.45'	N19°10'17"E	44°30'40"	
C-11	150.67'	123.00'	141.42'	N38°10'34"W	70°11'02"	
C-12	183.74'	150.00'	172.47'	N38°10'34"W	70°11'02"	
C-13	216.81'	177.00'	203.51'	N38°10'34"W	70°11'02"	
C-14	94.42'	273.00'	93.95'	N83°10'34"W	19°48'58"	
C-15	103.76	300.00'	103.24'	N83°10'34"W	19°48'58"	
C-16	113.10'	327.00'	112.53'	S83°10'34"E	19°48'58"	
C-17	31.42'	20.00'	28.28'	S48°05'03"E	90°00'00"	
C-18	31.42'	20.00'	28.28'	N41°54'57"E	90°00'00"	

REFER TO SECTION K OF THE SUMMERTON PUD FOR TREE CONSERVATION.

ALL MAINTENANCE OF LANDSCAPING IN THE MEDIAN IS THE RESPONSIBILITY OF THE HOA.

ALL SNOW REMOVAL IS THE RESPONSIBILITY OF THE HOA AND NOT THE TOWN.


SEE SHEET 6 FOR LAND DESCRIPTION

# SUMMERTON SECTION 1


### SECONDARY PLAT TOWN OF McCORDSVILLE


VERNON TOWNSHIP, HANCOCK COUNTY, INDIANA (PART OF SECTION 13, TOWNSHIP 17 NORTH, RANGE 5 EAST) **INSTRUMENT No.:** CABINET: SLIDE:





Vicinity Map





DEVELOPMENT STANDARDS

MAXIMUM NUMBER OF LOTS

AREA "B"

MINIMUM LOT AREA MINIMUM LOT WIDTH AT BUILDING LINE MINIMUM FRONT YARD SETBACK MINIMUM SIDE YARD SETBACK MINIMUM REAR YARD SETBACK MINIMUM LIVABLE FLOOR AREA

MIN. GROUND FLOOR LIVING AREA MAXIMUM LOT COVERAGE MAXIMUM HEIGHT - PRINCIPAL

8,450 SQ. FT

25 FEET **7.5 FEET** 15 FEET 1,500 SF (SINGLE STORY) 1,800 SF (MULTI STORY) 900 SF (MULTI STORY) 50% 35 FEET


Professional Surveyor No. 21000230 September 20, 2023



SHEET 1 OF 6

KRISTOPHER K. EICHHORN HWC ENGINEERING 135 N. PENNSYLVANIA STREET, SUITE 2800 INDIANAPOLIS, INDIANA 46204 PHONE: (317) 347-3663

**DEVELOPED BY:** LENNAR HOMES OF INDIANA, LLC 11555 N. MERIDIAN ST., SUITE 400 CARMEL, INDIANA 46032 PHONE: (317) 659-3200



# SUMMERTON SECTION 1

### SECONDARY PLAT TOWN OF McCORDSVILLE

VERNON TOWNSHIP, HANCOCK COUNTY, INDIANA (PART OF SECTION 13, TOWNSHIP 17 NORTH, RANGE 5 EAST)

INSTRUMENT No.:	
CABINET:	
SI IDE:	

SHEET 2 OF 6

SHRDIVISION	MONIJMENTS

- DENOTES A 5/8" DIA. ALUMINUM MONUMENT 6" LONG WITH 1-1/2" DIA. ALUMINUM CAP STAMPED "HWC ENGINEERING FIRM #0114" SET FLUSH WITH THE FINISHED STREET SURFACE
- O DENOTES A 5/8" REBAR 30" LONG WITH CAP STAMPED "HWC ENGINEERING FIRM #0114" TO BE SET AT LOT CORNERS, INCLUDING BEGINNING AND ENDING OF CURVES AND THE INTERSECTION OF LINES.
- DENOTES 4"x4" CONCRETE MONUMENT SET VERTICALLY IN PLACE WITH A 5/8" REBAR WITH CAP STAMPED "HWC ENGINEERING FIRM #0114" SET FLUSH
- DENOTES MONUMENT FOUND AS NOTED

	LEGEND
RIGHT-OF-WAY LINE LOT LINE BOUNDARY LINE EASEMENT LINE SETBACK LINE CENTERLINE	
SECTION LINE	

### LEGEND

25 LOT NUMBER D.E. DRAINAGE EASEMENT DRAINAGE & UTILITY EASEMENT S.S.D.&U.E. SANITARY SEWER, DRAINAGE AND UTILITY EASEMENT LANDSCAPE EASEMENT L.E. B.S.L. BUILDING SETBACK LINE R/W C.A. S.F. RIGHT OF WAY COMMON AREA SQUARE FEET AC ACRES RADIUS

REFER TO SECTION K OF THE SUMMERTON PUD FOR TREE CONSERVATION.

ALL MAINTENANCE OF LANDSCAPING IN THE MEDIAN IS THE RESPONSIBILITY OF THE HOA.


ALL SNOW REMOVAL IS THE RESPONSIBILITY OF THE HOA AND NOT THE TOWN.

SEE SHEET 1 FOR CURVE TABLE SEE SHEET 6 FOR LAND DESCRIPTION

			F	OR CONTI	NUATION S	SEE SHEET	5 OF 6						
193 3,504 S.F.	GOLDEN (5000)  120.00' 120.00' 120.00' 120.00' 120.00' 120.00' 120.00'	180 13,756 S.F.	140.00 179 179 130.05,03,E	178 8,450 S.F. 25' B.S.L.	9,555 S.F.	176 9,568 S.F.	3,27,26,52, 175,000 8,602 S.F.	17 8,585 20' D.&d	B.S.L.	73 172 172 8,582 S.F.	11.05, 14.00, Mr. 12.00.15.	S00*15*0E	
25' B.S <u>.L.</u> D.&U.E.	3.22	25' B.S.L	65.00'	20' D.&U.E. 65.00'	73.50'	20' D.&U.E. 68.32'	5.12' 64.21'	48.73' C-3	d5.82 60	.00' 5.10' 56.09 N78'56'34"E 61.19	\$89°44'50"E 25.05'	,,	
77.07		N86*54'57 <u>"</u>	E &	397.69'		CON CTRE	FT	1 <u>16.48</u> '					
- '4'   R/W			54,	,	SUMMER	1	(5.05' 63.02'	C-1 51.88'	15.82 60	.00' 5.10' S78*26'14"E 61.1	S89*44'50"E 25.05'		
ιΩ	200	68.65	65.00'	65.00'	73.50'	73.50' 20'_S.S.D.&U.		20' S.S	S.D.&U.E 25' S	30.09	<del>'0 .0 '</del> 0		
77.07' 20' S.S.D.&	U.E. Z	20' S.S.D.&U.E.		20' S.S.D.&U.E		25' B.S.L.		25° E	3.S.L.	25' S.S.D.&U.E. 25' B.S.L.	11.05' 14.00' 20' S.S.D.&U.E. 75' 75' 75' 75' 75' 75' 75' 75' 75' 75'	<u></u>	
25' B.S.L	3.5 S S S S S S S S S S S S S S S S S S S	25' B.S.L. 25' B.S.L. 25' B.S.L. 25' B.S.L. 25' B.S.L.	212 💾 .	217 ш	214 2 10,464 S.F.	215 10,639 S.F.	144.74° 144.74° 519 8.1° 519 8.1° 510 8	19,376 19,376	7 27.00.15.10° M. 27.041	18 \$3 S.F. \$\int_{1,51.00}^{\text{\tint{\text{\ti}\text{\texi\text{\text{\text{\text{\text{\text{\text{\text{\texi}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\\texi\text{\text{\text{\text{\text{\ti}}\text{\text{\text{\tex{		817.24	
206 12,834 S.F	OVE	201 SS. 251 SS. 255. SS. SS. 255. SS. 2	140.00° 503° 50° 50° 50° 50° 50° 50° 50° 50° 50° 50	9,100 S.F. 20,50£0S	140.0	.8u.E. 144.74*	144	N0115'14"V	200	S00°	\$00'15'05"W 140.13'	ECTRIC & PER INST. 02108085	
3 OF (	NGT 05 03 W					10, D'87'E' —		-     10' D.&U		5.07' <u>10'</u> D <u>&amp;U</u> .E	7 20° D.&U.E.	OVERHEAD ELECTRIC & OM EASEMENT PER INST. #202108085 475.33'	
7 D.&U.E/ 2 67.39' 3.89'		15' D.&U.E. 58.96' N86'54	57"E 65.00	65.00' 8.96'	73.65' N89'23'25"W	73.50' N86'54'55"E	30' D.E.&L.E. 150.00'	. 15, ———————————————————————————————————	N87°0	3'15"W 66.58' N82'32'00"W			
SEE SI		EU90	N86°20'59"E 150.00'			S	86°54'55"W	150.00'				51' HALF	
ATION S.	2. 15. 15. 15. 15. 15. 15. 15. 15. 15. 15	2/45   164   164   164   164   164	210 587 S.F.	78.02' N06'57'12'						C.A."1-A"	4	R/W	
IUAT)	20' \$5.5.0. deu.E. 20' \$	50.801.5	ò			жг.е. 290.40°			290.40 30' D.E.&L.E.		7.366.7	NE SE 1/4	
	208 14,965 S.F.	, 00 100		/4.	C.A."1—A"  D.E.  184,120 S.F.	30' D.E.&l			50.40'		50' D.E.&L.E	O W	
OR CC	14,965 S.F. 10,000,000,000,000,000,000,000,000,000,	6,573 S.F.				250.4						N 500	
H	NO1-	NE 60	510°E						N03°05°05"W		20, D		
S. COLL	5771165	5 0.8° 55 84.67 N56	29°12° 			 S03.0			ON L	50' D.E.&L.E.			
. — —	S77:10'22"E	<del>0'20'32"E</del> — — — —		50' D.E.&L.E.						20' D.&U	E.		
.·— —		48.07'			20 0.80.1.	.00.			40.00°	.04 × CK	W 900 N		
(	CR W 900 N	40' HALF R/W	2 2 2	SOUT	H LINE SE 1/4	*				S86°54'55"W	236.00' POINT OF	BEGINNING	
	S86°54'55"W		648.07					1/		OF GISTER COMME	SE SEC. 1 RAI FOUND	COR, SE 1/4 3-T17N-R5E ILROAD SPIKE 0 0.30' DOWN	
								Kristopher K. Eich	Lichon	No. 21000230			
ION								Protessional Surve September 20, 20	eyor No. 21000230 023	STATE OF SURVENIEND SURVENIEND	SH	EET 2 OF 6	<u>,</u>

KRISTOPHER K. EICHHORN HWC ENGINEERING 135 N. PENNSYLVANIA STREET, SUITE 2800 INDIANAPOLIS, INDIANA 46204 PHONE: (317) 347-3663

DEVELOPED BY: LENNAR HOMES OF INDIANA, LLC 11555 N. MERIDIAN ST., SUITE 400 CARMEL, INDIANA 46032 PHONE: (317) 659-3200



**Scale: 1" = 50'** 

# SUMMERTON SECTION 1

### SECONDARY PLAT TOWN OF McCORDSVILLE

VERNON TOWNSHIP, HANCOCK COUNTY, INDIANA (PART OF SECTION 13. TOWNSHIP 17 NORTH, RANGE 5 EAST)

NSTRUMENT No.:	
CABINET:	
SLIDE:	

SUBDIVISION	MONIJMENTS

- DENOTES A 5/8" DIA. ALUMINUM MONUMENT 6"
   LONG WITH 1-1/2" DIA. ALUMINUM CAP STAMPED
   "HWC ENGINEERING FIRM #0114" SET FLUSH WITH
   THE FINISHED STREET SURFACE
- O DENOTES A 5/8" REBAR 30" LONG WITH CAP STAMPED "HWC ENGINEERING FIRM #0114" TO BE SET AT LOT CORNERS, INCLUDING BEGINNING AND ENDING OF CURVES AND THE INTERSECTION OF LINES.
- DENOTES 4"x4" CONCRETE MONUMENT SET VERTICALLY IN PLACE WITH A 5/8" REBAR WITH CAP STAMPED "HWC ENGINEERING FIRM #0114" SET FLUSH
- DENOTES MONUMENT FOUND AS NOTED

	LEGEND
RIGHT-OF-WAY LINE	
LOT LINE	
BOUNDARY LINE	
EASEMENT LINE	
SETBACK LINE	
CENTERLINE	
SECTION LINE	

### LEGEND

25 LOT NUMBER D.E. DRAINAGE EASEMENT DRAINAGE & UTILITY EASEMENT S.S.D.&U.E. SANITARY SEWER, DRAINAGE AND UTILITY EASEMENT LANDSCAPE EASEMENT L.E. B.S.L. BUILDING SETBACK LINE R/W C.A. S.F. RIGHT OF WAY COMMON AREA SQUARE FEET AC **ACRES** RADIUS

REFER TO SECTION K OF THE SUMMERTON PUD FOR TREE CONSERVATION.

ALL MAINTENANCE OF LANDSCAPING IN THE MEDIAN IS THE RESPONSIBILITY OF THE HOA.

ALL SNOW REMOVAL IS THE RESPONSIBILITY OF THE HOA AND NOT THE TOWN.

SEE SHEET 1 FOR CURVE TABLE SEE SHEET 6 FOR LAND DESCRIPTION

FOR CONTINUATION SEE SHEET 4 OF 6
198 13,756 S.F.  198 11,970 S.F.  25' B.S.L.  25' B.S.L.  20' D.&U.E.  20' D.&U.E.  20' D.&U.E.  73.50'  77.07'  78.87'
Not 34 37 L 85.50' 65.00' 65.00' STREET  SUMMERTON STREET
1000 Sept. 15.5 W 1.000 Sept. 15
S77 10 22 E N80 20 32 E N80 20 20 E N80 20 E
S86°54'55"W
Knietopher K. Eichon & No.
Kristopher K. Eichhorn Professional Surveyor No. 21000230 September 20, 2023

3y: keichhorn

File Name: W:\Lennar\2020-235-A Lennar- Summerton 1\Design\CAD\20235-A.zBase Sec 1.dwg, Layout:

ite: Oct 05, 2023 Plo

SHEET 3 OF 6

THIS INSTRUMENT PREPARED BY: SUMMERTON SECTION 1 INSTRUMENT No. KRISTOPHER K. EICHHORN HWC ENGINEERING **CABINET** 135 N. PENNSYLVANIA STREET, SUITE 2800 SECONDARY PLAT INDIANAPOLIS, INDIANA 46204 PHONE: (317) 347-3663 **Assumed North** TOWN OF McCORDSVILLE **DEVELOPED BY:** LENNAR HOMES OF INDIANA, LLC 11555 N. MERIDIAN ST., SUITE 400 VERNON TOWNSHIP, HANCOCK COUNTY, INDIANA CARMEL, INDIANA 46032 **Scale: 1" = 50** PHONE: (317) 659-3200 (PART OF SECTION 13, TOWNSHIP 17 NORTH, RANGE 5 EAST) SUBDIVISION MONUMENTS DENOTES A 5/8" DIA. ALUMINUM MONUMENT 6" LONG WITH 1-1/2" DIA. ALUMINUM CAP STAMPED "HWC ENGINEERING FIRM #0114" SET FLUSH WITH THE FINISHED STREET SURFACE O DENOTES A 5/8" REBAR 30" LONG WITH CAP STAMPED "HWC ENGINEERING FIRM #0114" TO BE SET AT LOT CORNERS, INCLUDING BEGINNING AND ENDING OF CURVES AND THE INTERSECTION OF LINES. DENOTES 4"x4" CONCRETE MONUMENT SET VERTICALLY IN PLACE WITH A 5/8" REBAR WITH CAP STAMPED "HWC ENGINEERING FIRM #0114" SET FLUSH DENOTES MONUMENT FOUND AS NOTED NORTH FORK DRY BRANCH S89°13'36"E **LEGEND** RIGHT-OF-WAY LINE LOT LINE **BOUNDARY LINE** EASEMENT LINE SETBACK LINE 32 CENTERLINE 0 S.F. C.A."1-B" SECTION LINE 202,330 S.F. **LEGEND** 25 LOT NUMBER D.E. DRAINAGE EASEMENT DRAINAGE & UTILITY EASEMENT S.S.D.&U.E. SANITARY SEWER, DRAINAGE 181 10,111 S.F. AND UTILITY EASEMENT L.E. LANDSCAPE EASEMENT B.S.L. BUILDING SETBACK LINE R/W C.A. S.F. RIGHT OF WAY N86°54'57"E COMMON AREA N79°20'55"E 140.00 SQUARE FEET N89°22'17"E N89'43'30"E N87\*58'04"E AC N86°55'16"E ACRES 65.01' N86°54'57"E 67.68 68.32 RADIUS 65.00 TINUATION 175 8,602 S.F. 173 8,480 S.F. 172 8,582 S.F. 8,585 S.F. 178 8,450 S.F. 179 9,100 S.F. CON <u>25</u>' B.S.<u>L.</u> 25' B.S.L 20' D.&U.E. 20' D.&U.E. 20' D.&U.E. 20' D.&U.E. 65.00' 78.87 1<u>16.48</u>' C-2 \_\_\_\_244.37' SUMMERTON STREET REFER TO SECTION K OF S89°44'50"E THE SUMMERTON PUD FOR 63.02 60.00' 25.05 TREE CONSERVATION. 20' S.S.D.&U.E. 65.00 20' S.S.D.&U.E. 25' S.S.D.&U.E. 65.00 25' S.S.D.&U.E. 25' B.S.L. 25' B.S.L. 20' S.S.D.&U.E. 25' B.S.L. \_<sub>25</sub>' B.S.L. ALL MAINTENANCE OF 217 9,376 S.F. 218 9,243 S.F. LANDSCAPING IN THE MEDIAN IS 215 10,639 S.F. THE RESPONSIBILITY OF THE HOA 213 212 FOR CONTINUATION SEE SHEET 2 OF 6 ALL SNOW REMOVAL IS THE RESPONSIBILITY OF THE HOA AND NOT THE TOWN. 21000230 Kristopher K. Eichhorn STATE OF Professional Surveyor No. 21000230 September 20, 2023 SURVE MILLION SEE SHEET 1 FOR CURVE TABLE SHEET 5 OF 6 SEE SHEET 6 FOR LAND DESCRIPTION

#### THIS INSTRUMENT PREPARED BY:

KRISTOPHER K. EICHHORN HWC ENGINEERING 135 N. PENNSYLVANIA STREET, SUITE 2800 INDIANAPOLIS, INDIANA 46204 PHONE: (317) 347-3663

**DEVELOPED BY:** LENNAR HOMES OF INDIANA, LLC 11555 N. MERIDIAN ST., SUITE 400 CARMEL, INDIANA 46032 PHONE: (317) 659-3200

SOURCE OF TITLE INST. #202303589

#### LAND DESCRIPTION

I, the undersigned Registered Land Surveyor, hereby certify that the included plat correctly represents a subdivision of part of the Southeast Quarter of Section 13, Township 17 North, Range 5 East of the Second Principal Meridian, Vernon Township, Hancock County, Indiana, more particularly described as follows:

BEGINNING at the southeast corner of said Southeast Quarter, marked by a railroad spike found per Hancock County Surveyor reference ties; thence South 86 degrees 54 minutes 55 seconds West (assumed bearing) along the south line of said Southeast Quarter a distance of 236.00 feet to the southeast corner of the John Young Jr. Minor Subdivision, the plat of which is recorded in Plat Cabinet B, Slide 14 as Instrument Number 870004267 in the Office of the Recorder of Hancock County, Indiana, the following three (3) courses being along the east, north, and west lines of said Subdivision; (1) thence North 03 degrees 05 minutes 05 seconds West a distance of 290.40 feet; (2) thence South 86 degrees 54 minutes 55 seconds West a distance of 150.00 feet; (3) thence South 03 degrees 05 minutes 05 seconds East a distance of 290.40 feet to the south line of said Southeast Quarter; thence South 86 degrees 54 minutes 55 seconds West along said south line a distance of 648.07 feet to the southeast corner of a tract of land described in Instrument Number 201706617 in said Recorder's Office, the following two (2) courses being along the east and north lines of said tract; (1) thence North 03 degrees 05 minutes 05 seconds West a distance of 295.17 feet; (2) thence South 86 degrees 54 minutes 55 seconds West a distance of 283.91 feet; thence North 03 degrees 05 minutes 03 seconds West a distance of 223.99 feet; thence North 86 degrees 54 minutes 57 seconds East a distance of 109.50 feet; thence North 03 degrees 05 minutes 03 seconds West a distance of 382.00 feet; thence South 86 degrees 54 minutes 57 seconds West a distance of 52.73 feet; thence North 03 degrees 05 minutes 03 seconds West a distance of 54.00 feet to a point on a non-tangent curve to the left having a radius of 20.00 feet; thence northeasterly along said curve an arc distance of 31.42 feet, said curve being subtended by a chord bearing North 41 degrees 54 minutes 57 seconds East, a chord distance of 28.28 feet; thence North 86 degrees 54 minutes 57 seconds East a distance of 54.00 feet to a point on a non-tangent curve to the left having a radius of 20.00 feet; thence southeasterly along said curve an arc distance of 31.42 feet, said curve being subtended by a chord bearing South 48 degrees 05 minutes 03 seconds East, a chord distance of 28.28 feet; thence North 86 degrees 54 minutes 57 seconds East a distance of 79.56 feet to the point of curvature of a curve to the right having a radius of 327.00 feet; thence easterly along said curve an arc distance of 113.10 feet, said curve being subtended by a chord bearing South 83 degrees 10 minutes 34 seconds East, a chord distance of 112.53 feet; thence South 73 degrees 16 minutes 05 seconds East a distance of 32.93 feet; thence North 16 degrees 43 minutes 55 seconds East a distance of 280.71 feet; thence South 68 degrees 13 minutes 30 seconds East a distance of 332.74 feet; thence South 47 degrees 35 minutes 02 seconds East a distance of 175.68 feet; thence South 79 degrees 13 minutes 09 seconds East a distance of 434.96 feet; thence South 89 degrees 13 minutes 36 seconds East a distance of 51.00 feet to the east line of said Southeast Quarter; thence South 00 degrees 15 minutes 05 seconds West along said east line a distance of 817.24 feet to the POINT OF BEGINNING. containing 26.008 acres, more or less.

This subdivision consists of 48 lots numbered 172-219 all inclusive, and Three (3) Common Areas denoted as C.A. "1-A". C.A. "1-B" and C.A. "1-C".

Cross-Reference is hereby made to a survey plat prepared by HWC Engineering, in accordance with Title 865, Article 1, Chapter 12 of the Indiana Administrative Code, recorded as Instrument Number 202303348 in the Office of the Recorder of Hancock County, Indiana.

I further certify that I am a Registered Land Surveyor, licensed in compliance with the laws of the State of Indiana and that the within plat represents a subdivision of the lands surveyed within the cross referenced survey plat, and that to the best of my knowledge and belief there has been no change from the matters of survey revealed by the cross referenced survey on any lines that are common with the new subdivision.

Witness by signature this 20th day of September, 20 23



# SUMMERTON SECTION 1

### SECONDARY PLAT TOWN OF McCORDSVILLE

VERNON TOWNSHIP, HANCOCK COUNTY, INDIANA (PART OF SECTION 13, TOWNSHIP 17 NORTH, RANGE 5 EAST)

#### ACCEPTANCE OF DEED OF DEDICATION

We, the undersigned Lennar Homes of Indiana, LLC, a Delaware limited liability company, owners of the real estate shown and described on the plat herein and recorded in the Office of the Recorder of Hancock County, Indiana, do hereby lay off, plat and subdivide, said real estate in accordance with the within plat. We further certify that this plat is made and submitted with our free consent and desires.

This subdivision shall be known and designated as Summerton, Section 1. All streets shown and not heretofore dedicated are hereby dedicated to the public.

Dedicated right-of-way in this subdivision consists of 4.87 acres and 2,433 lineal feet of new roadway as measured along the centerline

Title to the foregoing real estate is subject to a certain Declaration of Covenants, Conditions and Restrictions for Summerton, recorded as in the Office of the Recorder of Hancock County, Indiana, as the same may be amended or supplemented. Such Declaration and the Covenants and Restrictions set forth therein run with the land described hereon and are incorporated herein by reference. Each owner of a lot depicted on this plat shall take title to such lot subject to the terms and conditions of the Declaration.

Front yard building setback lines are hereby established as shown on this plat, between which lines and the property lines of the street, there shall be erected or maintained no building or structure.

A perpetual utility easement is hereby granted to any private or public utility or municipal department, their successors and assigns, within the area shown on the plat and marked "Utility Easement", to install, lay, construct, renew, operate, maintain and remove conduits, cables, pipes, poles and wires, overhead and underground, with all necessary braces, guys, anchors and other equipment for the purpose of serving the subdivision and other property with telephone, internet, cable tv, electric and gas, sewer and water service as a part of the respective utility systems; also is granted (subject to the prior rights of the public therein or other governing codes and ordinances) the right to use the streets and lots with aerial service wires to serve adjacent lots and street lights, the right to cut down and remove or trim and keep trimmed any trees or shrubs that interfere or threaten to interfere with any of the said private or public utility equipment, and the right is hereby granted to enter upon the lots at all times for all of the purposes aforesaid. No permanent structures, fences, or trees shall be placed on said area as shown on the plat and marked "Utility Easement", but same may be used for gardens, shrubs, landscaping and other purposes that do not then or later interfere with the aforesaid user or the rights herein granted.

In addition, this Deed shall dedicate to the Town of McCordsville, Indiana, any and all sewer infrastructure installed for, by or on behalf of the undersigned, said infrastructure to include but not be limited to the sewer collection system, force main, lift station, or any other component part of the sewer system which serves the subject subdivision.

The right to enforce these provisions by injunction, together with the right to cause the removal, by due process of law, of any structure or part thereof erected, or maintained in violation hereof, is hereby maintained in violation hereof, is hereby dedicated to the Town of McCordsville, Indiana, its assigns or designated agent or representative.

Be it resolved by the McCordsville Town Council, McCordsville, Indiana, that the dedications shown on this plat are hereby approved and accepted this \_\_\_\_ day of \_\_\_\_\_, 20\_\_\_.

Gregory J. Brewer, Town Council President

#### CERTIFICATE OF OWNERSHIP

SS

State of Indiana

County of Hamilton

We, Lennar Homes of Indiana, LLC, a Delaware limited liability company, do hereby certify that we are the owner of the property described in the above caption and that as such owner it has caused the said above described property to be surveyed and subdivided as shown on

> Lennar Homes of Indiana, LLC, a Delaware limited liability company Keith Lash, Vice President of Land

Before me, the undersigned, a Notary Public in and for said County and State, personally appeared Keith Lash, Vice President of Land, Lennar Homes of Indiana, LLC, a Delaware limited liability company, and acknowledged the execution of this instrument as his voluntary act and deed and affixed his signature thereto.

litness my signature and seal	this day of	, 20
	Notary Public	
	Printed Name	
ounty of Residence:		
ly commission expires:		

Owner/Developer

INSTRUMENT No.:	
CABINET:	
SLIDE:	

### DRAINAGE COVENANT

Channels, tile drains 8-inch or larger, inlets and outlets of detention and retention ponds, and appurtenances thereto within designated drain easements are extensions of the McCordsville's stormwater drainage system and are the responsibility of the McCordsville Drainage Board and/or the McCordsville Public Works Commissioner. Drainage swales and tile drains less than 8-inch in inside diameter shall be the responsibility of the property owner or homeowner association.

A petition addressed to the McCordsville Drainage Board has been filed in duplicate with the McCordsville Town Engineer, requesting that the subdivision's storm drainage system and its casements be accepted into the regulated drain system. Channels, tile drains 8-inch or larger, inlets and outlets of detention and retention ponds, and appurtenances thereto within designated drain easements are extensions of the McCordsville's stormwater drainage system and are the responsibility of the McCordsville Drainage Board and/or the McCordsville Public Works Commissioner. Drainage swales and tile drains less than 8-inch in inside diameter shall be the responsibility of the property owner or homeowner association. The storm drainage system and its easements that are accepted in to the regulated drainage system are delineated on the plat as Regulated Drainage Easements (RDE's). Regulated Drainage Easements are stormwater easements and drainage rights of way that are hereby dedicated to the public and to McCordsville, Indiana, for the sole and exclusive purpose of controlling surface water and/or for installation, operation, and maintenance of storm sewers and tile drains as defined in McCordsville Stormwater Management Ordinance. These drainage easements are established under authority of the Indiana Drainage Code and the said Board may exercise powers and duties as provided in said code. All other storm drainage easements have not been accepted into the town's system. All drainage improvements performed relative to the conveyance of Stormwater runoff and the perpetual maintenance thereof, with the latter easements, shall be the responsibility of the owner or homeowner association. The McCordsville Drainage Board assumes no responsibility relative to said improvements or the maintenance thereof. This subdivision contains 0 linear feet of open ditches and 0 feet of subsurface drains that will be included in the Town's Regulated

### TOWN APPROVAL

MCCORDSVILLE ADVISORY PLAN C	<u>OMMISSION</u>
This is to certify that this plat has been approve Commission	ed by the McCordsville Advisory Plan
the, day of, 20, under	the authority provided by:
Signature	Signature
 Printed Name	

### **REDACTION STATEMENT**

I affirm under the penalties for perjury, that I have taken reasonable care to redact each social security number in this document, unless required by law. Kristopher K. Eichhorn

### PUD, COVENANTS & OTHER NOTES

The subject tract is zoned Summerton PUD ORDINANCE No. 041321A an Ordinance amending the Town of McCordsville Zoning Ordinance.

> REFER TO SECTION K OF THE SUMMERTON PUD FOR TREE CONSERVATION.

ALL MAINTENANCE OF LANDSCAPING IN THE MEDIAN IS THE RESPONSIBILITY OF THE HOA.

ALL SNOW REMOVAL IS THE RESPONSIBILITY OF THE HOA AND NOT THE TOWN.