

THIS INSTRUMENT SURVEYED & PREPARED BY:  
DENNIS D. OLMSTEAD, P.L.S.  
STOEPPELWERTH AND ASSOCIATES INC.  
7965 EAST 106th STREET  
FISHERS, INDIANA 46038  
PHONE: (317) 849-5935

THIS INSTRUMENT PREPARED FOR:  
LENNAR HOMES OF INDIANA, INC.  
11555 N. MERIDIAN STREET, SUITE 400  
CARMEL, INDIANA 46373  
PHONE: (317) 659-3200

# Alexander Ridge Section 2

SECONDARY PLAT  
PART OF THE NORTHEAST ¼, SEC. 24 T17N R5E  
VERNON TOWNSHIP, HANCOCK COUNTY, INDIANA

INSTRUMENT No.: \_\_\_\_\_

CABINET: \_\_\_\_\_

SLIDE: \_\_\_\_\_

OVERALL AREA	25.546 Acres
R/W AREA	4.340 Acres
NET AREA	21.206 Acres

## LEGEND


185 LOT NUMBER  
D.U.&S.S.E. DRAINAGE, UTILITY & SANITARY SEWER EASEMENT  
B.L. BUILDING SETBACK LINE  
R/W RIGHT OF WAY  
D&U.E. DRAINAGE & UTILITY EASEMENT  
L.M.A.E. LANDSCAPE MAINTENANCE ACCESS EASEMENT  
U.E. UTILITY EASEMENT  
VAR. VARIABLE

STORM INVENTORY CHART	
12" R.C.P.	865 L.F.
15" R.C.P.	185 L.F.
18" R.C.P.	48 L.F.
21" R.C.P.	137 L.F.
24" R.C.P.	169 L.F.
30" R.C.P.	807 L.F.
36" R.C.P.	137 L.F.
TOTAL	2,348 L.F.

SITE DATA	
AREA A	
ZONING	PUD
MAXIMUM NUMBER OF LOTS	61
FRONT YARD	30'
SIDE YARD	5'
REAR YARD	15'
MINIMUM LOT WIDTH AT BUILDING LINE	70'
MINIMUM LOT AREA	8,750 SQ. FT.
MAXIMUM LOT COVERAGE	50%
MINIMUM LIVABLE FLOOR AREA	1,800 square feet (single story) 1,950 square feet (multi-story)
MAXIMUM HEIGHT-PRINCIPAL	35 FEET



SITE DATA	
AREA B	
ZONING	PUD
MAXIMUM NUMBER OF LOTS	66
FRONT YARD	25'
SIDE YARD	6'
REAR YARD	15'
MINIMUM LOT WIDTH AT BUILDING LINE	60'
MINIMUM LOT AREA	7,200 SQ. FT.
MAXIMUM LOT COVERAGE	60%
MINIMUM LIVABLE FLOOR AREA	1,400 square feet (single story) 1,500 square feet (multi-story)
MAXIMUM HEIGHT-PRINCIPAL	35 FEET

THE ALEXANDER RIDGE PUD WILL PROVIDE A MINIMUM OF 25% OPEN SPACE. DRAINAGE FACILITIES SHALL BE PERMITTED AS PART OF THE OPEN SPACE CALCULATION. THE GROSS DENSITY OF THE ALEXANDER RIDGE PUD WILL NOT EXCEED 2.7 UNITS PER ACRE.



SHEET 2

SHEET 5



VICINITY MAP  
NOT TO SCALE


SUBDIVISION MONUMENTATION	
PER INDIANA ADMINISTRATIVE CODE (IAC), TITLE 865 IAC 1-12-18, AN AFFIDAVIT, CROSS-REFERENCED TO THIS PLAT, WILL BE RECORDED AFTER THE SUBDIVISION MONUMENTATION HAS BEEN COMPLETED AND MAY BE DELAYED FOR UP TO TWO YEARS FROM THE DATE OF RECORDATION OF THIS PLAT.	
MONUMENTS SET OR TO BE SET INCLUDE SUBDIVISION PERIMETER CORNERS, CENTERLINE INTERSECTIONS, CENTERLINE POINTS OF CURVATURE, CENTERLINE POINTS OF TANGENCY AND INTERIOR LOT/ PARCEL CORNERS (INCLUDING BEGINNING AND ENDS OF CURVES AND THE INTERSECTION OF LOT/PARCEL LINES).	
○	DENOTES A 5/8" DIAMETER X 30" LONG REINFORCING BAR (REBAR) WITH CAP STAMPED "S&A FIRM #0008" SET FLUSH WITH THE FINISH GRADE
●	DENOTES A STREET CENTERLINE MONUMENT--A COPPERWELD MONUMENT, A 5/8" DIAMETER STEEL ROD WITH A BRASS CAP HAVING A CUT "X" IN THE TOP, AN ALUMINUM MONUMENT HAVING A "DIMPLE" IN THE TOP, A HARRISON MONUMENT OR A MAG NAIL (THE TYPE BEING DEPENDENT UPON JURISDICTIONAL REQUIREMENTS AND ALL BEING SET FLUSH WITH THE SURFACE OF THE PAVEMENT)

Curve Table: Alignments						
CURVE	RADIUS	LENGTH	TANGENT	CHORD	CHORD BEARING	DELTA
C1	150.00'	276.86'	198.17'	239.20'	S52°41'49"E	105°45'16"
C2	150.00'	33.90'	17.02'	33.83'	N80°54'00"E	12°56'53"
C3	150.00'	235.62'	150.00'	212.13'	S47°37'34"E	90°00'00"
C4	150.00'	228.11'	142.68'	206.76'	S43°48'26"W	87°08'00"

CURVE TABLE						
CURVE	RADIUS	LENGTH	TANGENT	CHORD BEARING	CHORD	DELTA
C5	20.00'	36.05'	25.27'	S51°48'55"W	31.36'	103°16'11"
C6	123.00'	2.92'	1.46'	S0°29'58"E	2.92'	1°21'35"
C7	123.00'	222.11'	155.93'	S52°54'42"E	193.14'	103°27'52"
C8	177.00'	13.42'	6.71'	N76°35'52"E	13.41'	4°20'37"
C9	177.00'	26.58'	13.32'	N83°04'18"E	26.56'	8°36'16"
C10	177.00'	11.84'	5.92'	N89°17'24"E	11.84'	3°49'56"
C11	177.00'	49.36'	24.84'	S80°48'16"E	49.20'	15°58'44"
C12	50.00'	22.19'	11.28'	S85°31'47"E	22.01'	25°25'46"
C13	50.00'	21.31'	10.82'	N69°32'35"E	21.15'	24°25'29"
C14	50.00'	41.26'	21.89'	N80°58'26"E	40.10'	47°17'10"
C15	50.00'	43.75'	23.38'	S50°19'04"E	42.36'	50°07'49"
C16	50.00'	45.93'	24.73'	N1°03'38"E	44.33'	52°37'36"
C17	50.00'	43.51'	23.24'	N2°29'23"E	42.15'	49°51'15"
C18	177.00'	18.80'	9.41'	N19°23'42"W	18.79'	6°05'05"
C19	177.00'	42.40'	21.30'	S9°29'22"E	42.30'	13°43'36"
C20	20.00'	31.42'	20.00'	S47°37'34"E	28.28'	90°00'00"
C21	123.00'	132.74'	73.66'	N56°27'24"E	126.39'	61°50'04"
C22	123.00'	54.31'	27.61'	N12°53'24"E	53.87'	25°17'56"
C23	128.10'	5.23'	2.62'	S2°20'20"W	5.23'	2°20'29"
C24	177.00'	52.29'	26.34'	S11°22'14"W	52.10'	16°55'36"
C25	50.00'	9.18'	4.60'	S14°34'30"W	9.17'	10°31'02"
C26	50.00'	31.59'	16.34'	S8°46'55"E	31.07'	36°11'49"
C27	50.00'	30.21'	15.58'	S9°34'14"E	29.75'	34°37'13"
C28	50.00'	33.15'	17.21'	S26°44'00"W	32.55'	37°59'14"

CURVE TABLE						
CURVE	RADIUS	LENGTH	TANGENT	CHORD BEARING	CHORD	DELTA
C29	50.00'	35.55'	18.56'	S66°05'36"W	34.80'	40°43'59"
C30	50.00'	25.69'	13.14'	S78°49'10"E	25.41'	29°26'29"
C31	50.00'	36.44'	19.07'	S84°58'42"E	35.64'	41°45'33"
C32	49.29'	4.32'	2.16'	N71°39'53"E	4.32'	5°01'34"
C33	176.32'	56.07'	28.27'	N78°15'40"E	55.83'	18°13'09"
C34	20.00'	31.42'	20.00'	S42°22'26"W	28.28'	90°00'00"
C35	20.00'	31.42'	20.00'	N47°37'34"W	28.28'	90°00'00"
C36	20.00'	31.42'	20.00'	S42°22'26"W	28.28'	90°00'00"
C37	123.00'	48.23'	24.43'	N13°51'30"W	47.92'	22°27'53"
C38	123.00'	144.98'	82.24'	N58°51'30"W	136.73'	67°32'07"
C39	20.00'	31.42'	20.00'	S42°22'26"W	28.28'	90°00'00"
C40	20.00'	35.94'	25.12'	N54°06'00"W	31.29'	102°56'53"
C41	177.00'	82.79'	42.17'	S87°49'33"W	82.04'	26°47'59"
C42	50.00'	59.05'	33.52'	S67°23'23"W	55.68'	67°40'18"
C43	50.00'	25.69'	13.13'	S48°16'20"W	25.41'	29°26'11"
C44	50.00'	51.14'	28.06'	N87°42'34"W	48.94'	58°36'01"
C45	50.00'	41.76'	22.19'	N34°28'48"W	40.56'	47°51'31"
C46	50.00'	45.03'	24.17'	N15°15'03"E	43.53'	51°36'11"
C47	50.00'	27.15'	13.92'	N25°29'41"E	26.82'	31°06'54"
C48	50.00'	31.90'	16.51'	N8°20'28"W	31.36'	36°33'24"
C49	177.00'	41.60'	20.90'	N19°53'12"W	41.50'	13°27'56"
C50	177.00'	41.19'	20.69'	N6°29'13"W	41.10'	13°20'03"
C51	20.00'	31.42'	20.00'	N44°49'21"W	28.29'	90°00'19"

Dennis D. Olmstead  
Professional Land Surveyor  
No. 900012



THIS INSTRUMENT SURVEYED & PREPARED BY:  
DENNIS D. OLMSTEAD, P.L.S.  
STOEPEL WERTH AND ASSOCIATES INC.  
7965 EAST 106th STREET  
FISHERS, INDIANA 46038  
PHONE: (317) 849-5935

THIS INSTRUMENT PREPARED FOR:  
LENNAR HOMES OF INDIANA, INC.  
11555 N. MERIDIAN STREET, SUITE 400  
CARMEL, INDIANA 46373  
PHONE: (317) 659-3200

# Alexander Ridge Section 2


## SECONDARY PLAT

PART OF THE NORTHEAST 1/4, SEC. 24 T17N R5E  
VERNON TOWNSHIP, HANCOCK COUNTY, INDIANA


INSTRUMENT No.: \_\_\_\_\_

CABINET: \_\_\_\_\_

SLIDE: \_\_\_\_\_




Dennis D. Olmstead  
Professional Land Surveyor  
No. 900012



THIS INSTRUMENT SURVEYED & PREPARED BY:  
DENNIS D. OLMSTEAD, P.L.S.  
STOEPPELWERTH AND ASSOCIATES INC.  
7965 EAST 106th STREET  
FISHERS, INDIANA 46038  
PHONE: (317) 849-5935

THIS INSTRUMENT PREPARED FOR:  
LENNAR HOMES OF INDIANA, INC.  
11555 N. MERIDIAN STREET, SUITE 400  
CARMEL, INDIANA 46373  
PHONE: (317) 659-3200



# Alexander Ridge Section 2

SECONDARY PLAT

PART OF THE NORTHEAST 1/4, SEC. 24 T17N R5E  
VERNON TOWNSHIP, HANCOCK COUNTY, INDIANA

INSTRUMENT No.: \_\_\_\_\_

CABINET: \_\_\_\_\_

SLIDE: \_\_\_\_\_



Dennis D. Olmstead  
Professional Land Surveyor  
No. 900012




EAST LINE OF THE WEST HALF OF THE NORTHEAST QUARTER

Irving Materials, Inc. Inst. No. 9806009

THIS INSTRUMENT SURVEYED & PREPARED BY:  
DENNIS D. OLMSTEAD, P.L.S.  
STOEPPELWERTH AND ASSOCIATES INC.  
7965 EAST 106th STREET  
FISHERS, INDIANA 46038  
PHONE: (317) 849-5935

THIS INSTRUMENT PREPARED FOR:  
LENNAR HOMES OF INDIANA, INC.  
11555 N. MERIDIAN STREET, SUITE 400  
CARMEL, INDIANA 46373  
PHONE: (317) 659-3200



# Alexander Ridge Section 2

SECONDARY PLAT  
PART OF THE NORTHEAST 1/4, SEC. 24 T17N R5E  
VERNON TOWNSHIP, HANCOCK COUNTY, INDIANA

INSTRUMENT No.: \_\_\_\_\_


CABINET: \_\_\_\_\_

SLIDE: \_\_\_\_\_




Dennis D. Olmstead  
Professional Land Surveyor  
No. 900012

SEE SHEET 4



THIS INSTRUMENT SURVEYED & PREPARED BY:  
DENNIS D. OLMSTEAD, P.L.S.  
STOEPPELWERTH AND ASSOCIATES INC.  
7965 EAST 106th STREET  
FISHERS, INDIANA 46038  
PHONE: (317) 849-5935

THIS INSTRUMENT PREPARED FOR:  
LENNAR HOMES OF INDIANA, INC.  
11555 N. MERIDIAN STREET, SUITE 400  
CARMEL, INDIANA 46033  
PHONE: (317) 659-3200



# Alexander Ridge Section 2

SECONDARY PLAT  
PART OF THE NORTHEAST 1/4, SEC. 24 T17N R5E  
VERNON TOWNSHIP, HANCOCK COUNTY, INDIANA

INSTRUMENT No.: \_\_\_\_\_

CABINET: \_\_\_\_\_

SLIDE: \_\_\_\_\_



Dennis D. Olmstead  
Professional Land Surveyor  
No. 900012



Irving Materials, Inc.  
Inst. No. 9806009

THIS INSTRUMENT SURVEYED & PREPARED BY:  
DENNIS D. OLMSTEAD, P.L.S.  
STOEPPELWERTH AND ASSOCIATES INC.  
7965 EAST 106th STREET  
FISHERS, INDIANA 46038  
PHONE: (317) 849-5935

THIS INSTRUMENT PREPARED FOR:  
LENNAR HOMES OF INDIANA, INC.  
11555 N. MERIDIAN STREET, SUITE 400  
CARMEL, INDIANA 46373  
PHONE: (317) 659-3200

# Alexander Ridge Section 2

## SECONDARY PLAT

PART OF THE NORTHEAST ¼, SEC. 24 T17N R5E  
VERNON TOWNSHIP, HANCOCK COUNTY, INDIANA

INSTRUMENT No.: \_\_\_\_\_

CABINET: \_\_\_\_\_

SLIDE: \_\_\_\_\_

Alexander Ridge  
Section 2

I, the undersigned Professional Land Surveyor, hereby certify the included plat correctly represents a subdivision of a part of the Northeast Quarter of Section 24, Township 17 North, Range 5 East of the Second Principal Meridian, Vernon Township, Hancock County, Indiana being more particularly described as follows:

Commencing at the northwest corner of the Northeast Quarter of said Section 24; thence South 00 degrees 10 minutes 49 seconds West along the West line of said Northeast Quarter 879.22 feet to the POINT OF BEGINNING of this description: thence South 89 degrees 49 minutes 30 seconds East 130.00 feet to a point on a curve concave southwesterly, the radius point of which bears South 00 degrees 10 minutes 30 seconds West 20.00 feet from said point; thence southeasterly along said curve 31.42 feet to a point on said curve, said point being South 89 degrees 49 minutes 11 seconds East 20.00 feet from the radius point of said curve; thence South 00 degrees 10 minutes 49 seconds West 4.08 feet; thence South 89 degrees 49 minutes 11 seconds East 54.00 feet to a point on a non-tangent curve concave southeasterly, the radius point of which bears South 89 degrees 49 minutes 11 seconds East 20.00 feet from said point; thence northeasterly along said curve 36.05 feet to a point on said curve, said point being North 13 degrees 27 minutes 00 seconds East 20.00 feet from the radius point of said curve, said point also being the point of compound curvature of a curve concave southerly, the radius point of which bears South 13 degrees 27 minutes 00 seconds West 173.00 feet from said point; thence easterly along said curve 45.59 feet to a point on said curve, said point being North 28 degrees 32 minutes 58 seconds East 173.00 feet from the radius point of said curve; thence South 61 degrees 27 minutes 02 seconds East 65.82 feet; thence South 00 degrees 10 minutes 49 seconds West 226.05 feet; thence South 22 degrees 39 minutes 03 seconds East 75.95 feet; thence South 00 degrees 10 minutes 49 seconds West 115.99 feet; to a point on a curve concave northerly, the radius point being North 14 degrees 38 minutes 38 seconds West 123.00 feet from said point; thence easterly along said curve 2.00 feet to a point on said curve, said point being South 15 degrees 34 minutes 27 seconds East 123.00 feet from the radius point of said curve; thence North 74 degrees 25 minutes 33 seconds East 42.40 feet; thence North 02 degrees 37 minutes 34 seconds West 142.56 feet; thence North 87 degrees 22 minutes 26 seconds East 441.79 feet; thence South 62 degrees 47 minutes 24 seconds East 80.32 feet; thence South 40 degrees 59 minutes 19 seconds East 49.51 feet; thence South 89 degrees 45 minutes 34 seconds East 103.06 feet; thence North 00 degrees 14 minutes 26 seconds East 61.00 feet; thence South 89 degrees 45 minutes 34 seconds East 179.00 feet; thence North 00 degrees 14 minutes 26 seconds East 31.33 feet; thence South 89 degrees 45 minutes 34 seconds East 125.00 feet to the East line of the Northwest Quarter of said Northeast Quarter; thence South 00 degrees 14 minutes 26 seconds West along said East line 763.18 feet to the northeast corner of the land described in Instrument Number 202309898 in said Recorder's Office; thence South 87 degrees 31 minutes 37 seconds West along the North line of said land 1,347.43 feet to the West line of the aforementioned Northeast Quarter Section; thence North 00 degrees 10 minutes 49 seconds East along said West line 1095.44 feet to the place of beginning, containing 25.546 acres, more or less, subject to all highways, rights-of-way, easements, and restrictions of record.

This subdivision consists of 76 lots numbered 52-127 (all inclusive) and four (4) Common Area labeled C.A.#5, C.A.#6, C.A.#7, & C.A.#8. The dimensions of lots, common areas, and width of streets are shown in feet and decimal parts thereof.

Cross-Reference is hereby made to a survey prepared by Stoeppelwerth & Associates, Inc. in accordance with Title 865, Article 1, Chapter 12 of the Indiana Administrative Code recorded as Instrument Number 202308550 in the Office of the Recorder for Hancock County, Indiana.

I further certify I am licensed in compliance with the laws of the State of Indiana and the within plat represents a subdivision of the lands surveyed within the cross referenced survey and to the best of my knowledge and belief there has been no change from the matters of survey revealed by the cross-reference survey on any lines that are common with the new subdivision.

Witness my signature this \_\_\_\_\_ day of \_\_\_\_\_, 2024.

Dennis D. Olmstead  
Professional Land Surveyor  
No. 900012



REDACTION STATEMENT:  
I affirm, under the penalties for perjury, that I have taken reasonable care to redact each social security number in this document, unless required by law.

Dennis. D. Olmstead, PLS



THIS INSTRUMENT SURVEYED & PREPARED BY:  
DENNIS D. OLMSTEAD, P.L.S.  
STOEPPELWERTH AND ASSOCIATES INC.  
7965 EAST 106th STREET  
FISHERS, INDIANA 46038  
PHONE: (317) 849-5935

THIS INSTRUMENT PREPARED FOR:  
LENNAR HOMES OF INDIANA, INC.  
11555 N. MERIDIAN STREET, SUITE 400  
CARMEL, INDIANA 46373  
PHONE: (317) 659-3200

# Alexander Ridge Section 2

## SECONDARY PLAT

PART OF THE NORTHEAST ¼ , SEC. 24 T17N R5E  
VERNON TOWNSHIP, HANCOCK COUNTY, INDIANA

INSTRUMENT No.: \_\_\_\_\_

CABINET: \_\_\_\_\_

SLIDE: \_\_\_\_\_

### ACCEPTANCE OF DEED OF DEDICATION

We, the undersigned Lennar Homes of Indiana, Inc., owners of the real estate shown and described on the plat herein and recorded in the office of the Recorder for Hancock County, Indiana, do hereby lay off, plat and subdivide, said real estate in accordance with the within plat. We further certify this plat is made and submitted with our free consent and desires.

This subdivision shall be known and designated as Alexander Ridge Section 2. All streets and rights-of-way shown and not heretofore dedicated are hereby dedicated to the public.

Title to the foregoing real estate is subject to a certain Declaration of Covenants, Conditions and Restrictions for Alexander Ridge, recorded as Instrument Number# \_\_\_\_\_ in the Office of the Recorder for Hancock County, Indiana, as the same may be amended or supplemented. Such Declaration and the Covenants and Restrictions set forth therein run with the land described hereon and are incorporated herein by reference. Each owner of a lot depicted on this plat shall take title to such lot subject to the terms and conditions of said Declaration.

Front yard building setback lines are hereby established as shown on this plat. Between said lines and the right-of-way lines of the streets, there shall be erected or maintained no building or structure.

Rights-of-way shown on this plat and heretofore dedicated to the Town consists of 4.340 acres and 3,262.29 lineal feet as measured along the centerline of the road.

Perpetual utility easements are hereby granted to any private or public utility or municipal department, their successors and assigns, within the areas shown on the plat and marked "Utility Easement", to install, lay, construct, renew, operate, maintain and remove conduits, cables, pipes, poles and wires, overhead and underground, with all necessary braces, guys, anchors and other equipment for the purpose of serving the subdivision and other property with telephone, internet, cable tv, electric and gas, sewer and water service as a part of the respective utility systems; also is granted (subject to the prior rights of the public therein or other governing codes and ordinances) the right to use the streets and lots with aerial service wires to serve adjacent lots and street lights, the right to cut down and remove or trim and keep trimmed any trees or shrubs that interfere or threaten to interfere with any of the said private or public utility equipment, and the right is hereby granted to enter upon the lots at all times for all of the purposes aforesaid. No permanent structures, fences, or trees shall be placed on said area as shown on the plat and marked "Utility Easement," but same may be used for gardens, shrubs, landscaping and other purposes that do not then or later interfere with the aforesaid user or the rights herein granted.

In addition, this Deed shall dedicate to the Town of McCordsville, Indiana, any and all sewer infrastructure installed for, by or on behalf of the undersigned, said infrastructure to include but not be limited to the sewer collection system, force main, lift station, or any other component part of the sewer system which serves the subject subdivision.

The right to enforce these provisions by injunction, together with the right to cause the removal, by due process of law, of any structure or part thereof erected, or maintained in violation hereof, is hereby maintained in violation hereof, is hereby dedicated to the Town of McCordsville, Indiana, its assigns or designated agent or representative.

### CERTIFICATE OF OWNERSHIP

We, Lennar Homes of Indiana, Inc., do hereby certify that we are the owner of the property described in the above caption and that as such owner it has caused the said above described property to be surveyed and subdivided as shown on the plat drawn herein , as its free and voluntary act and deed.

Owner/Developer  
Lennar Homes of Indiana, Inc.  
11555 N. Meridian Street, Suite 400  
Carmel, Indiana 46032

By: \_\_\_\_\_  
Greg Binter , Land Development Manager

State of Indiana )  
 ) SS  
County of Hancock )

Before me, the undersigned, a Notary Public in and for said County and State, personally appeared , Greg Binter, Land Development Manager for Lennar Homes of Indiana, Inc., and acknowledged the execution of this instrument as his voluntary act and deed and affixed his signature thereto.

Witness my signature and seal this \_\_\_\_\_ day of \_\_\_\_\_ , 2024.

\_\_\_\_\_  
Notary Public

\_\_\_\_\_  
Printed Name

County of Residence: \_\_\_\_\_

My commission expires: \_\_\_\_\_

### PUD, COVENANTS & OTHER NOTES:

The subject tract is zoned Alexander Ridge Amended PUD ORDINANCE No. 121322A an Ordinance amending the Town of McCordsville ZONING ORDINANCE No. 121410, as amended.

- The Homeowner's Association for Alexander Ridge shall be responsible for snow removal of all internal streets.
- The Town shall not be responsible for any maintenance of any landscaping, fencing, or signage located in public rights-of-way.
- The developer agrees to pay any future Road Impact Fees adopted and effective at the time of any building permit(s) are issued.
- No home shall be rented for a period of at least thirty-six (36) months from the last date of transfer or sale, except when renting to a family member or in a case of financial hardship that is approved by the HOA.

### DRAINAGE COVENANT

Channels, tile drains 8-inch or larger, inlets and outlets of detention and retention ponds, and appurtenances thereto within designated drain easements are extensions of the McCordsville's stormwater drainage system and are the responsibility of the McCordsville Drainage Board and/or the McCordsville Public Works Commissioner. Drainage swales and tile drains less than 8-inch in inside diameter shall be the responsibility of the property owner or homeowner association.

A petition addressed to the McCordsville Drainage Board has been filed in duplicate with the McCordsville Town Engineer, requesting that the subdivision's storm drainage system and its easements be accepted into the regulated drain system. Channels, tile drains 8-inch or larger, inlets and outlets of detention and retention ponds, and appurtenances thereto within designated drain easements are extensions of the McCordsville's stormwater drainage system and are the responsibility of the McCordsville Drainage Board and/or the McCordsville Public Works Commissioner. Drainage swales and tile drains less than 8-inch in inside diameter shall be the responsibility of the property owner or homeowner association. The storm drainage system and its easements that are accepted in to the regulated drainage system are delineated on the plat as Regulated Drainage Easements (RDE's). Regulated Drainage Easements are stormwater easements and drainage rights of way that are hereby dedicated to the public and to McCordsville, Indiana, for the sole and exclusive purpose of controlling surface water and/or for installation, operation, and maintenance of storm sewers and tile drains as defined in McCordsville Stormwater Management Ordinance. These drainage easements are established under authority of the Indiana Drainage Code and the said Board may exercise powers and duties as provided in said code. All other storm drainage easements have not been accepted into the town's system. All drainage improvements performed relative to the conveyance of Stormwater runoff and the perpetual maintenance thereof, with the latter easements, shall be the responsibility of the owner or homeowner association. The McCordsville Drainage Board assumes no responsibility relative to said improvements or the maintenance thereof. This subdivision contains 0 linear feet of open ditches and 0 feet of subsurface drains that will be included in the Town's Regulated Drainage System.

### TOWN APPROVAL

Be it resolved by the McCordsville Town Council, McCordsville, Indiana, that the dedications shown on this plat are hereby approved and accepted this \_\_\_\_\_ day of \_\_\_\_\_ , 2024.

\_\_\_\_\_  
President of the Town Council

### MCCORDSVILLE ADVISORY PLAN COMMISSION:

This is to certify that this plat has been approved by the McCordsville Advisory Plan Commission the \_\_\_\_\_ day of \_\_\_\_\_ , 2024, under the authority provided by:

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Printed Name

\_\_\_\_\_  
Printed Name