

Summary Index

- 1) ARC Commitment Letter
- 2) Exhibit A – Eisenhower Elevation
- 3) Exhibit B – Harrison Elevation
- 4) Exhibit C – Kennedy Elevation
- 5) Exhibit D – Lincoln Elevation
- 6) Exhibit E – Reagan Elevation
- 7) Exhibit F – Roosevelt Elevation
- 8) Exhibit G – Truman Elevation
- 9) Exhibit H - Brick Variations
- 10) Exhibit I – Decorative Garage Door
- 11) Exhibit J – Hardie Plank Siding

“Exhibit A”

Eisenhower

- Traditional Color Rendering
- Traditional Elevations

“Exhibit B”

Harrison

- Traditional Color Rendering
- Traditional Elevation
- Tudor Rendering
- Tudor Elevation

“Exhibit C”

Kennedy

- Traditional Color Rendering
- Traditional Elevation
- Tudor Color Rendering
- Tudor Elevation

“Exhibit D”

Lincoln

- Traditional Color Rendering
- Traditional Elevation
- Tudor Color Rendering
- Tudor Elevation

“Exhibit E”

Reagan

- A Color Rendering
- A Elevation
- B Color Rendering
- B Elevation
- C Color Rendering
- C Elevation
- Craftsman Color Rendering
- Craftsman Elevation
- Traditional Color Rendering
- Traditional Elevation
- Tudor Color Rendering
- Tudor Elevation

“Exhibit F”

Roosevelt

- Traditional Color Rendering
- Traditional Elevation
- Tudor Color Rendering
- Tudor Elevation

“Exhibit G”

Truman

- Traditional Color Rendering
- Traditional Elevation
- Tudor Color Rendering
- Tudor Elevation

“Exhibit H”

Brick Variations

“Exhibit I”

Decorative Garage Door

“Exhibit J”

Hardie Plank Siding

August 2, 2018

Ryan Crum, AICP
Director of Planning and Building
6280 West 800 North
McCordsville, Indiana 46055

RE: Stone Grove Subdivision

Dear Mr. Crum,

Arbor Homes submits this building plan and elevation package for the proposed Stone Grove community for review by the Architectural Review Committee of the Town of McCordsville. We are excited about the opportunity to work with the Town of McCordsville on this project.

Our building plan and elevation package includes the following items for your review:

- Floor plans proposed to be used within the community
- Color renderings of the front elevations for the proposed floor plans
- Front, side and rear elevation drawings for the proposed floor plans
- Sales brochures of the decorative garage door options for use within the community
- A color palette of the paint series proposed for use within the homes in the community
- List of materials, and information from each material's manufacturer regarding such materials, to be used on homes within the community

A list of the plans proposed to be used within Stone Grove:

The Eisenhower
The Truman
The Harrison
The Kennedy

The Lincoln
The Reagan
The Roosevelt


We are familiar with the development standards applicable to the new Stone Grove community as set forth in the Town of McCordsville Zoning and Subdivision Control Ordinances, as amended, and by Ordinance No. 050917 of the Town of McCordsville (collectively, the "Development Standards"), and we believe that our submission meets the intent and applicable requirements of these Development Standards.

We appreciate your consideration of our building plan and elevation package for the Stone Grove community. If you have any questions during the review process, please contact Paul Munoz at (317) 557-4466 or paulm@arborhomesllc.com.

Thank you,

Paul Munoz
Entitlement Manager
Arbor Homes

9' WALLS




FIRST FLOOR

SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
SHEET DESCRIPTION: FIRST FLOOR PLAN

CUSTOMER: ---	PLAN NAME: Chestnut
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---




FRONT ELEVATION

SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS


COMMUNITY NAME: ---
 SHEET DESCRIPTION:
ELEVATIONS - FRONT

CUSTOMER: ---	PLAN NAME: Chestnut
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---




LEFT ELEVATION

SCALE: 3/32"=1'-0"



RIGHT ELEVATION

SCALE: 3/32"=1'-0"



REAR ELEVATION

SCALE: 3/32"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
 SHEET DESCRIPTION:
ELEVATIONS - SIDES & REAR


CUSTOMER: ---	PLAN NAME: Chestnut
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---

EISENHOWER TRADITIONAL ELEVATION



- DIMENSION NOTES:**
- 1.) ALL EXTERIOR DIMENSION STRINGS ARE $\frac{1}{2}$ " SHEATHING UNLESS NOTED OTHERWISE.
 - 2.) ALL INTERIOR STRINGS ARE FRAME TO FRAME.
 - 3.) ALL UNDIMENSIONED WALL THICKNESSES ARE 3/4".
 - 4.) ALL EXTERIOR SHEATHING TO BE 1/2" EXCEPT AS NOTED.
 - 5.) ALL WINDOWS ARE S.H. UNLESS NOTED OTHERWISE.
- NOTES:**
- 1.) ALL 1ST FLR WDW & SGD. HEAD HTS. AT 8'-10 7/8" W/ 2-2x12 HDRS. UNDER DOUBLE 2x4 PLATE EXCEPT AS NOTED.
 - 2.) ALL PL. HTS. AT 8'-1 1/8" UNLESS NOTED OTHERWISE.
 - 3.) ALL EXTERIOR WALLS & INTERIOR BEARING WALLS TO BE FRAMED 16" O.C.
 - 4.) ALL INTERIOR NON-BEARING WALLS TO BE FRAMED 24" O.C.
 - 5.) CALIFORNIA CORNERS & LADDER LEADS ON ALL EXTERIOR WALLS
 - 6.) ALL INTERIOR DOORS NOT SPECIFIED 3" FROM CORNER FOR CASING.
 - 7.) INSTALL SOFFIT VENTS EVERY 4' UNLESS OTHERWISE NOTED.
 - 8.) ALL MECHANICAL CHASES IN A FLOOR SYSTEM OR ATTIC TO HAVE 3/4" PLYWOOD FIRESTOP.
 - 9.) CONTRACTOR TO TYPAR WALL ABOVE ALL ROOF LINES.

9' WALLS



FIRST FLOOR

SCALE: 3/16"=1'-0"


REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
SHEET DESCRIPTION: FIRST FLOOR PLAN

CUSTOMER: ---	PLAN NAME: Harrison
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---

SECOND FLOOR


SCALE: 3/16"=1'-0"



REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
 SHEET DESCRIPTION:
SECOND FLOOR PLAN

CUSTOMER: ---	PLAN NAME: Harrison
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---



T/PLATE
8'-1 1/8"
SECOND FLOOR
1'-0 5/8"
BRICK
BUILT-OUT WOOD POST
9'-1 1/8"
FIRST FLOOR

FRONT ELEVATION
SCALE: 3/16"=1'-0"


REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
SHEET DESCRIPTION:
ELEVATIONS - FRONT

PLAN NAME: Harrison
LOT NUMBER: ---
PRINT DATE: ---

CUSTOMER: ---
ADDRESS: ---
CITY: ---
STATE and ZIP: ---, ---, ---

SHEET NO.
3A



LEFT ELEVATION

SCALE: 3/32"=1'-0"



RIGHT ELEVATION

SCALE: 3/32"=1'-0"



REAR ELEVATION

SCALE: 3/32"=1'-0"

Silverthorne
HOMES

9225 HARRISON PARK COURT
INDIANAPOLIS, IN 46216
phone (317) 806-2190
fax (317) 806-2191

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
SHEET DESCRIPTION:
ELEVATIONS - SIDES AND REAR

CUSTOMER: ---	PLAN NAME: Harrison
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---


SHEET NO.
3B

HARRISON TRADITIONAL ELEVATION



- DIMENSION NOTES:**
- 1.) ALL EXTERIOR DIMENSION STRINGS ARE $\frac{1}{8}$ " SHEATHING UNLESS NOTED OTHERWISE.
 - 2.) ALL INTERIOR STRINGS ARE FRAME TO FRAME.
 - 3.) ALL UNDIMENSIONED WALL THICKNESSES ARE 3/2".
 - 4.) ALL EXTERIOR SHEATHING TO BE 1/2" EXCEPT
 - 5.) ALL WINDOWS ARE S.H. UNLESS NOTED OTHERWISE.
- NOTES:**
- 1.) ALL 1ST FLR WDW & SGD. HEAD HTS. AT 8'-10 7/8" W/ 2-2x12 HDRS. UNDER DOUBLE 2x4 PLATE EXCEPT AS NOTED
 - 2.) ALL PL. HTS. AT 8'-1 1/8" UNLESS NOTED OTHERWISE.
 - 3.) ALL EXTERIOR WALLS & INTERIOR BEARING WALLS TO BE FRAMED 16" O.C.
 - 4.) ALL INTERIOR NON-BEARING WALLS TO BE FRAMED 24" O.C.
 - 5.) CALIFORNIA CORNERS & LADDER LEADS ON ALL EXTERIOR WALLS
 - 6.) ALL INTERIOR DOORS NOT SPECIFIED 3" FROM CORNER FOR CASING.
 - 7.) INSTALL SOFFIT VENTS EVERY 4' UNLESS OTHERWISE NOTED.
 - 8.) ALL MECHANICAL CHASES IN A FLOOR SYSTEM OR ATTIC TO HAVE 3/4" PLYWOOD FIRESTOP.
 - 9.) CONTRACTOR TO TYPAR WALL ABOVE ALL ROOF LINES.

9' WALLS



FIRST FLOOR

SCALE: 3/16"=1'-0"

Silverthorne HOMES
 9225 HARRISON PARK COURT
 INDIANAPOLIS, IN 46216
 phone (317) 806-2190
 fax (317) 806-2191

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
 SHEET DESCRIPTION:
FIRST FLOOR PLAN


PLAN NAME: Harrison
 LOT NUMBER: ---
 PRINT DATE: ---

CUSTOMER: ---
 ADDRESS: ---
 CITY: ---
 STATE and ZIP: ---, ---, ---

SHEET NO.
1

SECOND FLOOR

SCALE: 3/16"=1'-0"



REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
 SHEET DESCRIPTION:
SECOND FLOOR PLAN

CUSTOMER: ---	PLAN NAME: Harrison
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---



FRONT ELEVATION

SCALE: 3/16"=1'-0"


REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
 SHEET DESCRIPTION:
ELEVATIONS - FRONT

PLAN NAME: Harrison
 LOT NUMBER: ---
 PRINT DATE: ---


CUSTOMER: ---
 ADDRESS: ---
 CITY: ---
 STATE and ZIP: ---, ---
 2x6

SHEET NO.
3A



LEFT ELEVATION

SCALE: 3/32"=1'-0"



RIGHT ELEVATION

SCALE: 3/32"=1'-0"



REAR ELEVATION

SCALE: 3/32"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
 SHEET DESCRIPTION:
ELEVATIONS - SIDES AND REAR


CUSTOMER: ---	PLAN NAME: Harrison
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	PRINT DATE: ---
STATE and ZIP: ---, ---	

HARRISON TUDOR ELEVATION



- DIMENSION NOTES:**
- 1.) ALL EXTERIOR DIMENSION STRINGS ARE SHEATHING UNLESS NOTED OTHERWISE.
 - 2.) ALL INTERIOR STRINGS ARE FRAME TO FRAME.
 - 3.) ALL UNDIMENSIONED WALL THICKNESSES ARE 3 1/2".
 - 4.) ALL EXTERIOR SHEATHING TO BE 1/2" EXCEPT
 - 5.) ALL WINDOWS ARE S.H. UNLESS NOTED OTHERWISE.
- NOTES:**
- 1.) ALL 1ST FLR WDW & SGD. HEAD HTS. AT 6'-10 7/8" W/ 2-2x12 HDRS. UNDER DOUBLE 2x4 PLATE EXCEPT AS NOTED
 - 2.) ALL PL. HTS. AT 6'-1 1/8" UNLESS NOTED OTHERWISE.
 - 3.) ALL EXTERIOR WALLS & INTERIOR BEARING WALLS TO BE FRAMED 16" O.C.
 - 4.) ALL INTERIOR NON-BEARING WALLS TO BE FRAMED 24" O.C.
 - 5.) CALIFORNIA CORNERS & LADDER LEADS ON ALL EXTERIOR WALLS
 - 6.) ALL INTERIOR DOORS NOT SPECIFIED 3" FROM CORNER FOR CASING.
 - 7.) INSTALL SOFFIT VENTS EVERY 4' UNLESS OTHERWISE NOTED.
 - 8.) ALL MECHANICAL CHASES IN A FLOOR SYSTEM OR ATTIC TO HAVE 3/4" PLYWOOD FIRESTOP.
 - 9.) CONTRACTOR TO TYPAR WALL ABOVE ALL ROOF LINES.

9' WALLS



FIRST FLOOR

SCALE: 3/16"=1'-0"

Silverthorne HOMES
 9225 HARRISON PARK COURT
 INDIANAPOLIS, IN 46216
 phone (317) 806-2190
 fax (317) 806-2191


REV. NO.	DATE	REMARKS

PLAN NAME: Kennedy Traditional
 COMMUNITY NAME: Stone Grove
 SHEET DESCRIPTION:
FIRST FLOOR PLAN

CUSTOMER: ---	LOT NUMBER: ---	PRINT DATE: 7/25/18
ADDRESS: ---	STATE and ZIP: ---, ---	
CITY: ---		

SECOND FLOOR

SCALE: 3/16"=1'-0"



REV. NO.	DATE	REMARKS

PLAN NAME: Kennedy Traditional
COMMUNITY NAME: Stone Grove
SHEET DESCRIPTION:
SECOND FLOOR PLAN

CUSTOMER: ---	PLAN NAME: Kennedy Traditional
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	PRINT DATE: 7/25/18
	STATE and ZIP: ---, ---




FRONT ELEVATION

SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS


PLAN NAME: Kennedy Traditional
 LOT NUMBER: ---
 PRINT DATE: 7/25/18
 COMMUNITY NAME: Stone Grove
 SHEET DESCRIPTION:
ELEVATIONS

CUSTOMER: ---	STATE and ZIP: ---, ---
ADDRESS: ---	CITY: ---
PLAN NAME: Kennedy Traditional	PRINT DATE: 7/25/18
LOT NUMBER: ---	



LEFT ELEVATION

SCALE: 3/32"=1'-0"



RIGHT ELEVATION

SCALE: 3/32"=1'-0"



REAR ELEVATION

SCALE: 3/32"=1'-0"

REV. NO.	DATE	REMARKS

PLAN NAME: Kennedy Traditional	COMMUNITY NAME: Stone Grove
SHEET DESCRIPTION: ELEVATIONS	


CUSTOMER: ---	PLAN NAME: Kennedy Traditional
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	PRINT DATE: 7/25/18
STATE and ZIP: ---, ---	

KENNEDY TRADITIONAL ELEVATION



- DIMENSION NOTES:**
- 1.) ALL EXTERIOR DIMENSION STRINGS ARE TO SHEATHING UNLESS NOTED OTHERWISE.
 - 2.) ALL INTERIOR STRINGS ARE FRAME TO FRAME.
 - 3.) ALL UNDIMENSIONED WALL THICKNESSES ARE 3/12".
 - 4.) ALL EXTERIOR SHEATHING TO BE 1/2" EXCEPT
 - 5.) ALL WINDOWS ARE S.H. UNLESS NOTED OTHERWISE.
- NOTES:**
- 1.) ALL 1ST FLR WDW & SGD. HEAD HTS. AT 6'-10 7/8" W/ 2-2x12 HDRS. UNDER DOUBLE 2x4 PLATE EXCEPT AS NOTED
 - 2.) ALL PL. HTS. AT 6'-1 1/8" UNLESS NOTED OTHERWISE
 - 3.) ALL EXTERIOR WALLS & INTERIOR BEARING WALLS TO BE FRAMED 16" O.C.
 - 4.) ALL INTERIOR NON-BEARING WALLS TO BE FRAMED 24" O.C.
 - 5.) CALIFORNIA CORNERS & LADDER LEADS ON ALL EXTERIOR WALLS
 - 6.) ALL INTERIOR DOORS NOT SPECIFIED 3" FROM CORNER FOR CASING.
 - 7.) INSTALL SOFFIT VENTS EVERY 4' UNLESS OTHERWISE NOTED.
 - 8.) ALL MECHANICAL CHASES IN A FLOOR SYSTEM OR ATTIC TO HAVE 3/4" PLYWOOD FIRESTOP.
 - 9.) CONTRACTOR TO TYPAR WALL ABOVE ALL ROOF LINES.

9' WALLS



FIRST FLOOR

SCALE: 3/16"=1'-0"


REV. NO.	DATE	REMARKS

COMMUNITY NAME: Stone Grove
 SHEET DESCRIPTION:
FIRST FLOOR PLAN

CUSTOMER: ---	PLAN NAME: Kennedy Tudor
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: 7/25/18

SECOND FLOOR

SCALE: 3/16"=1'-0"



REV. NO.	DATE	REMARKS

COMMUNITY NAME: Stone Grove
 SHEET DESCRIPTION:
SECOND FLOOR PLAN

CUSTOMER: ---	PLAN NAME: Kennedy Tudor
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: 7/25/18



FRONT ELEVATION


SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: Stone Grove
 SHEET DESCRIPTION:
ELEVATIONS


CUSTOMER: ---	PLAN NAME: Kennedy Tudor
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: 7/25/18

SHEET NO.
3A



LEFT ELEVATION

SCALE: 3/32"=1'-0"



RIGHT ELEVATION

SCALE: 3/32"=1'-0"



REAR ELEVATION

SCALE: 3/32"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: Stone Grove
SHEET DESCRIPTION: ELEVATIONS


CUSTOMER: ---	PLAN NAME: Kennedy Tudor
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	PRINT DATE: 7/25/18
STATE and ZIP: ---, ---	

KENNEDY TUDOR ELEVATION



- DIMENSION NOTES:**
- 1.) ALL EXTERIOR DIMENSION STRINGS ARE $\frac{1}{2}$ " SHEATHING UNLESS NOTED OTHERWISE.
 - 2.) ALL INTERIOR STRINGS ARE FRAME TO FRAME.
 - 3.) ALL UNDIMENSIONED WALL THICKNESSES ARE 3 1/2".
 - 4.) ALL EXTERIOR SHEATHING TO BE 1/2" EXCEPT
 - 5.) ALL WINDOWS ARE S.H. UNLESS NOTED OTHERWISE.
- NOTES:**
- 1.) ALL 1ST FLR WDW & SGD. HEAD HTS. AT 6'-10 7/8" W/ 2-2x12 HDRS. UNDER DOUBLE 2x4 PLATE EXCEPT AS NOTED
 - 2.) ALL PL. HTS. AT 8'-1 1/8" UNLESS NOTED OTHERWISE.
 - 3.) ALL EXTERIOR WALLS & INTERIOR BEARING WALLS TO BE FRAMED 16" O.C.
 - 4.) ALL INTERIOR NON-BEARING WALLS TO BE FRAMED 24" O.C.
 - 5.) CALIFORNIA CORNERS & LADDER LEADS ON ALL EXTERIOR WALLS
 - 6.) ALL INTERIOR DOORS NOT SPECIFIED 3" FROM CORNER FOR CASING.
 - 7.) INSTALL SOFFIT VENTS EVERY 4' UNLESS OTHERWISE NOTED.
 - 8.) ALL MECHANICAL CHASES IN A FLOOR SYSTEM OR ATTIC TO HAVE 3/4" PLYWOOD FIRESTOP.
 - 9.) CONTRACTOR TO TYPAR WALL ABOVE ALL ROOF LINES.

9' WALLS



FIRST FLOOR

SCALE: 3/16"=1'-0"

Silverthorne HOMES
 9225 HARRISON PARK COURT
 INDIANAPOLIS, IN 46216
 phone (317) 806-2190
 fax (317) 806-2191

REV. NO.	DATE	REMARKS


COMMUNITY NAME: Stone Grove
 SHEET DESCRIPTION:
FIRST FLOOR PLAN

CUSTOMER: ---	PLAN NAME: ---
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: 7/25/18



SECOND FLOOR

SCALE: 3/16"=1'-0"



REV. NO.	DATE	REMARKS

COMMUNITY NAME: Stone Grove
 SHEET DESCRIPTION:
SECOND FLOOR PLAN


CUSTOMER: ---	PLAN NAME: ---
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: 7/25/18

REV. NO.	DATE	REMARKS

COMMUNITY NAME: Stone Grove
 SHEET DESCRIPTION:
ELEVATIONS - FRONT


CUSTOMER: ---	PLAN NAME: ---
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: 7/25/18

SHEET NO.
3A




FRONT ELEVATION

SCALE: 3/16"=1'-0"



LEFT ELEVATION

SCALE: 3/32"=1'-0"



RIGHT ELEVATION

SCALE: 3/32"=1'-0"



REAR ELEVATION

SCALE: 3/32"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: Stone Grove
SHEET DESCRIPTION:
ELEVATIONS - SIDES & REAR


CUSTOMER: ---	PLAN NAME: ---
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: 7/25/18

LINCOLN TRADITIONAL ELEVATION



- DIMENSION NOTES:**
- 1.) ALL EXTERIOR DIMENSION STRINGS ARE $\frac{1}{2}$ " SHEATHING UNLESS NOTED OTHERWISE.
 - 2.) ALL INTERIOR STRINGS ARE FRAME TO FRAME.
 - 3.) ALL UNDIMENSIONED WALL THICKNESSES ARE 3 1/2".
 - 4.) ALL EXTERIOR SHEATHING TO BE 1/2" EXCEPT AS NOTED.
 - 5.) ALL WINDOWS ARE S.H. UNLESS NOTED OTHERWISE.
- NOTES:**
- 1.) ALL 1ST FLR WDW & SGD. HEAD HTS. AT 6'-10 7/8" W/ 2-2x12 HDRS. UNDER DOUBLE 2x4 PLATE EXCEPT AS NOTED.
 - 2.) ALL PL. HTS. AT 8'-1 1/8" UNLESS NOTED OTHERWISE.
 - 3.) ALL EXTERIOR WALLS & INTERIOR BEARING WALLS TO BE FRAMED 16" O.C.
 - 4.) ALL INTERIOR NON-BEARING WALLS TO BE FRAMED 24" O.C.
 - 5.) CALIFORNIA CORNERS & LADDER LEADS ON ALL EXTERIOR WALLS.
 - 6.) ALL INTERIOR DOORS NOT SPECIFIED 3" FROM CORNER FOR CASING.
 - 7.) INSTALL SOFFIT VENTS EVERY 4' UNLESS OTHERWISE NOTED.
 - 8.) ALL MECHANICAL CHASES IN A FLOOR SYSTEM OR ATTIC TO HAVE 3/4" PLYWOOD FIRESTOP.
 - 9.) CONTRACTOR TO TYPAR WALL ABOVE ALL ROOF LINES.

9' WALLS



FIRST FLOOR

SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS


COMMUNITY NAME: Stone Grove
SHEET DESCRIPTION: FIRST FLOOR PLAN

CUSTOMER: ---	PLAN NAME: Lincoln Tudor
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: 7/25/18



SECOND FLOOR

SCALE: 3/16"=1'-0"



REV. NO.	DATE	REMARKS

COMMUNITY NAME: Stone Grove
SHEET DESCRIPTION: SECOND FLOOR PLAN

PLAN NAME: Lincoln Tudor	CUSTOMER: ---
LOT NUMBER: ---	ADDRESS: ---
PRINT DATE: 7/25/18	CITY: ---
STATE and ZIP: ---, ---	


REV. NO.	DATE	REMARKS

COMMUNITY NAME: Stone Grove
SHEET DESCRIPTION: ELEVATIONS - FRONT

PLAN NAME: Lincoln Tudor
LOT NUMBER: ---
PRINT DATE: 7/25/18


CUSTOMER: ---
ADDRESS: ---
CITY: ---
STATE and ZIP: ---, ---

SHEET NO. 3A




FRONT ELEVATION

SCALE: 3/16"=1'-0"



LEFT ELEVATION

SCALE: 3/32"=1'-0"



RIGHT ELEVATION

SCALE: 3/32"=1'-0"



REAR ELEVATION

SCALE: 3/32"=1'-0"

Silverthorne
HOMES

9225 HARRISON PARK COURT
INDIANAPOLIS, IN 46216
phone (317) 806-2190
fax (317) 806-2191

REV. NO.	DATE	REMARKS

COMMUNITY NAME: Stone Grove
SHEET DESCRIPTION:
ELEVATIONS - SIDES & REAR


CUSTOMER: ---	PLAN NAME: Lincoln Tudor
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: 7/25/18

SHEET NO.
3B



- DIMENSION NOTES:**
- 1.) ALL EXTERIOR DIMENSION STRINGS ARE $\frac{3}{4}$ " SHEATHING UNLESS NOTED OTHERWISE.
 - 2.) ALL INTERIOR STRINGS ARE FRAME TO FRAME.
 - 3.) ALL UNDIMENSIONED WALL THICKNESSES ARE 3 1/2".
 - 4.) ALL EXTERIOR SHEATHING TO BE 1/2" EXCEPT
 - 5.) ALL WINDOWS ARE S.H. UNLESS NOTED OTHERWISE.
- NOTES:**
- 1.) ALL 1ST FLR WDW & SGD. HEAD HTS. AT 8'-10 7/8" W/ 2-2x12 HDRS. UNDER DOUBLE 2x4 PLATE EXCEPT AS NOTED
 - 2.) ALL PL. HTS. AT 8'-1 1/8" UNLESS NOTED OTHERWISE.
 - 3.) ALL EXTERIOR WALLS & INTERIOR BEARING WALLS TO BE FRAMED 16" O.C.
 - 4.) ALL INTERIOR NON-BEARING WALLS TO BE FRAMED 24" O.C.
 - 5.) CALIFORNIA CORNERS & LADDER LEADS ON ALL EXTERIOR WALLS
 - 6.) ALL INTERIOR DOORS NOT SPECIFIED 3" FROM CORNER FOR CASING.
 - 7.) INSTALL SOFFIT VENTS EVERY 4' UNLESS OTHERWISE NOTED.
 - 8.) ALL MECHANICAL CHASES IN A FLOOR SYSTEM OR ATTIC TO HAVE 3/4" PLYWOOD FIRESTOP.
 - 9.) CONTRACTOR TO TYPAR WALL ABOVE ALL ROOF LINES.

9' WALLS




FIRST FLOOR

SCALE: 1/8"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
SHEET DESCRIPTION: FIRST FLOOR PLAN

PLAN NAME: Reagan A
LOT NUMBER: ---
PRINT DATE: ---
CUSTOMER: ---
ADDRESS: ---
CITY: ---
STATE and ZIP: ---, ---




FRONT ELEVATION

SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS


COMMUNITY NAME: ---
SHEET DESCRIPTION: ELEVATIONS

CUSTOMER: ---	PLAN NAME: Reagan A
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---




LEFT ELEVATION

SCALE: 3/32"=1'-0"



RIGHT ELEVATION

SCALE: 3/32"=1'-0"



REAR ELEVATION

SCALE: 3/32"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---	ELEVATIONS
SHEET DESCRIPTION:	


CUSTOMER: ---	PLAN NAME: Reagan A
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---

REAGAN ELEVATION A



- DIMENSION NOTES:**
- 1.) ALL EXTERIOR DIMENSION STRINGS ARE 3/4" SHEATHING UNLESS NOTED OTHERWISE.
 - 2.) ALL INTERIOR STRINGS ARE FRAME TO FRAME.
 - 3.) ALL UNDIMENSIONED WALL THICKNESSES ARE 3/4" O.C.
 - 4.) ALL EXTERIOR SHEATHING TO BE 1/2" EXCEPT
 - 5.) ALL WINDOWS ARE S.H. UNLESS NOTED OTHERWISE.
- NOTES:**
- 1.) ALL 1ST FLR WDW & SCD. HEAD HTS. AT 6'-10" 7/8" W/ 2-2x12 HDRS. UNDER DOUBLE 2x4 PLATE EXCEPT AS NOTED
 - 2.) ALL PL. HTS. AT 8'-1" 1/8" UNLESS NOTED OTHERWISE.
 - 3.) ALL EXTERIOR WALLS & INTERIOR BEARING WALLS TO BE FRAMED 16" O.C.
 - 4.) ALL INTERIOR NON-BEARING WALLS TO BE FRAMED 24" O.C.
 - 5.) CALIFORNIA CORNERS & LADDER LEADS ON ALL EXTERIOR WALLS
 - 6.) ALL INTERIOR DOORS NOT SPECIFIED 3" FROM CORNER FOR CASING
 - 7.) INSTALL SOFFIT VENTS EVERY 4' UNLESS OTHERWISE NOTED.
 - 8.) ALL MECHANICAL CHASES IN A FLOOR SYSTEM OR ATTIC TO HAVE 3/4" PLYWOOD FIRESTOP.
 - 9.) CONTRACTOR TO TYPAR WALL ABOVE ALL ROOF LINES.

9' WALLS




FIRST FLOOR

SCALE: 1/8"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
SHEET DESCRIPTION: FIRST FLOOR PLAN

CUSTOMER: ---	PLAN NAME: Reagan B
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---




FRONT ELEVATION

SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS


COMMUNITY NAME: ---	ELEVATIONS
SHEET DESCRIPTION:	

CUSTOMER: ---	PLAN NAME: Reagan B
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---




LEFT ELEVATION

SCALE: 3/32"=1'-0"



REAR ELEVATION

SCALE: 3/32"=1'-0"



RIGHT ELEVATION

SCALE: 3/32"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---	ELEVATIONS
SHEET DESCRIPTION:	


CUSTOMER: ---	PLAN NAME: Reagan B
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	PRINT DATE: ---
STATE and ZIP: ---, ---	

REAGAN ELEVATION B



- DIMENSION NOTES:**
- 1.) ALL EXTERIOR DIMENSION STRINGS ARE $\frac{3}{4}$ " SHEATHING UNLESS NOTED OTHERWISE.
 - 2.) ALL INTERIOR STRINGS ARE FRAME TO FRAME.
 - 3.) ALL UNDIMENSIONED WALL THICKNESSES ARE 3 1/2".
 - 4.) ALL EXTERIOR SHEATHING TO BE 1/2" EXCEPT
 - 5.) ALL WINDOWS ARE S.H. UNLESS NOTED OTHERWISE.
- NOTES:**
- 1.) ALL 1ST FLR WDW & SGD. HEAD HTS. AT 8'-10 7/8" W/ 2-2x12 HDRS. UNDER DOUBLE 2x4 PLATE EXCEPT AS NOTED
 - 2.) ALL PL. HTS. AT 8'-1 1/8" UNLESS NOTED OTHERWISE.
 - 3.) ALL EXTERIOR WALLS & INTERIOR BEARING WALLS TO BE FRAMED 16" O.C.
 - 4.) ALL INTERIOR NON-BEARING WALLS TO BE FRAMED 24" O.C.
 - 5.) CALIFORNIA CORNERS & LADDER LEADS ON ALL EXTERIOR WALLS
 - 6.) ALL INTERIOR DOORS NOT SPECIFIED 3" FROM CORNER FOR CASING.
 - 7.) INSTALL SOFFIT VENTS EVERY 4' UNLESS OTHERWISE NOTED.
 - 8.) ALL MECHANICAL CHASES IN A FLOOR SYSTEM OR ATTIC TO HAVE 3/4" PLYWOOD FIRESTOP.
 - 9.) CONTRACTOR TO TYPAR WALL ABOVE ALL ROOF LINES.

9' WALLS




FIRST FLOOR

SCALE: 1/8"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
SHEET DESCRIPTION: FIRST FLOOR PLAN

PLAN NAME: Reagan C
LOT NUMBER: ---
PRINT DATE: ---
CUSTOMER: ---
ADDRESS: ---
CITY: ---
STATE and ZIP: ---, ---




FRONT ELEVATION

SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS


COMMUNITY NAME: ---
 SHEET DESCRIPTION:
ELEVATIONS

CUSTOMER: ---	PLAN NAME: Reagan C
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---




LEFT ELEVATION

SCALE: 3/32"=1'-0"



RIGHT ELEVATION

SCALE: 3/32"=1'-0"



REAR ELEVATION

SCALE: 3/32"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---	ELEVATIONS
SHEET DESCRIPTION:	

CUSTOMER: ---	PLAN NAME: Reagan C
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---




REAGAN CRAFTSMAN ELEVATION



- DIMENSION NOTES:**
- 1.) ALL EXTERIOR DIMENSION STRINGS ARE 3/4" SHEATHING UNLESS NOTED OTHERWISE.
 - 2.) ALL INTERIOR STRINGS ARE FRAME TO FRAME.
 - 3.) ALL UNDIMENSIONED WALL THICKNESSES ARE 3 1/2".
 - 4.) ALL EXTERIOR SHEATHING TO BE 1/2" EXCEPT
 - 5.) ALL WINDOWS ARE S.H. UNLESS NOTED OTHERWISE.
- NOTES:**
- 1.) ALL 1ST FLR WDW & SGD. HEAD HTS. AT 8'-10 7/8" W/ 2-2x12 HDRS. UNDER DOUBLE 2x4 PLATE EXCEPT AS NOTED
 - 2.) ALL PL. HTS. AT 8'-1 1/8" UNLESS NOTED OTHERWISE.
 - 3.) ALL EXTERIOR WALLS & INTERIOR BEARING WALLS TO BE FRAMED 16" O.C.
 - 4.) ALL INTERIOR NON-BEARING WALLS TO BE FRAMED 24" O.C.
 - 5.) CALIFORNIA CORNERS & LADDER LEADS ON ALL EXTERIOR WALLS
 - 6.) ALL INTERIOR DOORS NOT SPECIFIED 3" FROM CORNER FOR CASING.
 - 7.) INSTALL SOFFIT VENTS EVERY 4' UNLESS OTHERWISE NOTED.
 - 8.) ALL MECHANICAL CHASES IN A FLOOR SYSTEM OR ATTIC TO HAVE 3/4" PLYWOOD FIRESTOP.
 - 9.) CONTRACTOR TO TYPAR WALL ABOVE ALL ROOF LINES.

9' WALLS



FIRST FLOOR

SCALE: 1/8"=1'-0"


REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
SHEET DESCRIPTION: FIRST FLOOR PLAN

PLAN NAME: Reagan Crft.
LOT NUMBER: ---
PRINT DATE: ---

CUSTOMER: ---
ADDRESS: ---
CITY: ---
STATE and ZIP: ---, ---

SHEET NO. 1




FRONT ELEVATION

SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS


COMMUNITY NAME: ---
SHEET DESCRIPTION: ELEVATIONS

CUSTOMER: ---	PLAN NAME: Reagan Crft.
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---




LEFT ELEVATION

SCALE: 3/32"=1'-0"



REAR ELEVATION

SCALE: 3/32"=1'-0"



RIGHT ELEVATION

SCALE: 3/32"=1'-0"

Silverthorne
HOMES

9225 HARRISON PARK COURT
INDIANAPOLIS, IN 46216
phone (317) 806-2190
fax (317) 806-2181

REV. NO.	DATE	REMARKS


COMMUNITY NAME: ---	ELEVATIONS
SHEET DESCRIPTION:	

CUSTOMER: ---	PLAN NAME: Reagan Crft.
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---

SHEET NO.
3B

- DIMENSION NOTES:**
- 1.) ALL EXTERIOR DIMENSION STRINGS ARE 3/4" SHEATHING UNLESS NOTED OTHERWISE.
 - 2.) ALL INTERIOR STRINGS ARE FRAME TO FRAME.
 - 3.) ALL UNDIMENSIONED WALL THICKNESSES ARE 3 1/2".
 - 4.) ALL EXTERIOR SHEATHING TO BE 1/2" EXCEPT
 - 5.) ALL WINDOWS ARE S.H. UNLESS NOTED OTHERWISE.
- NOTES:**
- 1.) ALL 1ST FLR WDW & SGD. HEAD HTS. AT 8'-10 7/8" W/ 2-2x12 HDRS. UNDER DOUBLE 2x4 PLATE EXCEPT AS NOTED
 - 2.) ALL PL. HTS. AT 8'-1 1/8" UNLESS NOTED OTHERWISE.
 - 3.) ALL EXTERIOR WALLS & INTERIOR BEARING WALLS TO BE FRAMED 16" O.C.
 - 4.) ALL INTERIOR NON-BEARING WALLS TO BE FRAMED 24" O.C.
 - 5.) CALIFORNIA CORNERS & LADDER LEADS ON ALL EXTERIOR WALLS
 - 6.) ALL INTERIOR DOORS NOT SPECIFIED 3" FROM CORNER FOR CASING.
 - 7.) INSTALL SOFFIT VENTS EVERY 4' UNLESS OTHERWISE NOTED.
 - 8.) ALL MECHANICAL CHASES IN A FLOOR SYSTEM OR ATTIC TO HAVE 3/4" PLYWOOD FIRESTOP.
 - 9.) CONTRACTOR TO TYPAR WALL ABOVE ALL ROOF LINES.

9' WALLS



FIRST FLOOR

SCALE: 1/8"=1'-0"


REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
SHEET DESCRIPTION: FIRST FLOOR PLAN

PLAN NAME: Reagan Trnd.
LOT NUMBER: ---
PRINT DATE: ---

CUSTOMER: ---
ADDRESS: ---
CITY: ---
STATE and ZIP: ---, ---

SHEET NO. 1




FRONT ELEVATION

SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS


COMMUNITY NAME: ---	ELEVATIONS
SHEET DESCRIPTION:	

CUSTOMER: ---	PLAN NAME: Reagan Trad.
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---




LEFT ELEVATION

SCALE: 3/32"=1'-0"



REAR ELEVATION

SCALE: 3/32"=1'-0"



RIGHT ELEVATION

SCALE: 3/32"=1'-0"

Silverthorne
HOMES

9225 HARRISON PARK COURT
INDIANAPOLIS, IN 46216
phone (317) 806-2190
fax (317) 806-2181

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---	ELEVATIONS
SHEET DESCRIPTION:	

CUSTOMER: ---	PLAN NAME: Reagan Trsd.
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---


SHEET NO.
3B

REAGAN TRADITIONAL ELEVATION



- DIMENSION NOTES:**
- 1.) ALL EXTERIOR DIMENSION STRINGS ARE $\frac{3}{4}$ " SHEATHING UNLESS NOTED OTHERWISE.
 - 2.) ALL INTERIOR STRINGS ARE FRAME TO FRAME.
 - 3.) ALL UNDIMENSIONED WALL THICKNESSES ARE 3 1/2".
 - 4.) ALL EXTERIOR SHEATHING TO BE 1/2" EXCEPT
 - 5.) ALL WINDOWS ARE S.H. UNLESS NOTED OTHERWISE.
- NOTES:**
- 1.) ALL 1ST FLR WDW & SGD. HEAD HTS. AT 8'-10 7/8" W/ 2-2x12 HDRS. UNDER DOUBLE 2x4 PLATE EXCEPT AS NOTED
 - 2.) ALL PL. HTS. AT 8'-1 1/8" UNLESS NOTED OTHERWISE.
 - 3.) ALL EXTERIOR WALLS & INTERIOR BEARING WALLS TO BE FRAMED 16" O.C.
 - 4.) ALL INTERIOR NON-BEARING WALLS TO BE FRAMED 24" O.C.
 - 5.) CALIFORNIA CORNERS & LADDER LEADS ON ALL EXTERIOR WALLS
 - 6.) ALL INTERIOR DOORS NOT SPECIFIED 3" FROM CORNER FOR CASING.
 - 7.) INSTALL SOFFIT VENTS EVERY 4' UNLESS OTHERWISE NOTED.
 - 8.) ALL MECHANICAL CHASES IN A FLOOR SYSTEM OR ATTIC TO HAVE 3/4" PLYWOOD FIRESTOP.
 - 9.) CONTRACTOR TO TYPAR WALL ABOVE ALL ROOF LINES.

9' WALLS



FIRST FLOOR

SCALE: 1/8"=1'-0"


REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
SHEET DESCRIPTION: FIRST FLOOR PLAN

PLAN NAME: Reagan Tudor
LOT NUMBER: ---
PRINT DATE: ---

CUSTOMER: ---
ADDRESS: ---
CITY: ---
STATE and ZIP: ---, ---

SHEET NO. 1




FRONT ELEVATION

SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS


COMMUNITY NAME: ---	ELEVATIONS
SHEET DESCRIPTION:	

CUSTOMER: ---	PLAN NAME: Reagan Tudor
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---




LEFT ELEVATION

SCALE: 3/32"=1'-0"



REAR ELEVATION

SCALE: 3/32"=1'-0"



RIGHT ELEVATION

SCALE: 3/32"=1'-0"

Silverthorne
HOMES

9225 HARRISON PARK COURT
INDIANAPOLIS, IN 46216
phone (317) 806-2190
fax (317) 806-2181

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---	ELEVATIONS
SHEET DESCRIPTION:	

CUSTOMER: ---	PLAN NAME: Reagan Tudor
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	PRINT DATE: ---
STATE and ZIP: ---, ---	

SHEET NO.
3B


REAGAN TUDOR ELEVATION



9' WALLS

FIRST FLOOR

SCALE: 3/16"=1'-0"




REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---	FIRST FLOOR PLAN
SHEET DESCRIPTION:	

PLAN NAME: Roosevelt	LOT NUMBER: ---
PRINT DATE: ---	

CUSTOMER: ---	STATE and ZIP: ---, ---
ADDRESS: ---	
CITY: ---	

SHEET NO.	1
-----------	---



SECOND FLOOR

SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
 SHEET DESCRIPTION:
SECOND FLOOR PLAN

CUSTOMER: ---	PLAN NAME: Roosevelt
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---



FRONT ELEVATION


SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---	ELEVATIONS - FRONT
SHEET DESCRIPTION:	


CUSTOMER: ---	PLAN NAME: Roosevelt
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---

SHEET NO.
3A




LEFT ELEVATION

SCALE: 3/32"=1'-0"



RIGHT ELEVATION

SCALE: 3/32"=1'-0"



REAR ELEVATION

SCALE: 3/32"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
SHEET DESCRIPTION:
ELEVATIONS - SIDES AND REAR

CUSTOMER: ---	PLAN NAME: Roosevelt
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---


ROOSEVELT TRADITIONAL ELEVATION



9' WALLS

FIRST FLOOR

SCALE: 3/16"=1'-0"




REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
 SHEET DESCRIPTION:
FIRST FLOOR PLAN

PLAN NAME: Roosevelt
 LOT NUMBER: ---
 PRINT DATE: ---

CUSTOMER: ---
 ADDRESS: ---
 CITY: --- STATE and ZIP: ---, ---

SHEET NO.
1




SECOND FLOOR

SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
 SHEET DESCRIPTION:
SECOND FLOOR PLAN

CUSTOMER: ---	PLAN NAME: Roosevelt
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---




FRONT ELEVATION

SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS


COMMUNITY NAME: ---
 SHEET DESCRIPTION:
ELEVATIONS - FRONT

CUSTOMER: ---	PLAN NAME: Roosevelt
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---




LEFT ELEVATION

SCALE: 3/32"=1'-0"



RIGHT ELEVATION

SCALE: 3/32"=1'-0"



REAR ELEVATION

SCALE: 3/32"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
SHEET DESCRIPTION:
ELEVATIONS - SIDES AND REAR

CUSTOMER: ---	PLAN NAME: Roosevelt
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	PRINT DATE: ---
	STATE and ZIP: ---, ---

ROOSEVELT TUDOR ELEVATION




- DIMENSION NOTES:**
- 1.) ALL EXTERIOR DIMENSION STRINGS ARE 1/2" SHEATHING UNLESS NOTED OTHERWISE.
 - 2.) ALL INTERIOR STRINGS ARE FRAME TO FRAME.
 - 3.) ALL UNDIMENSIONED WALL THICKNESSES ARE 3 1/2".
 - 4.) ALL EXTERIOR SHEATHING TO BE 1/2" EXCEPT
 - 5.) ALL WINDOWS ARE S.H. UNLESS NOTED OTHERWISE.
- NOTES:**
- 1.) ALL 1ST FLR WDW & SGD. HEAD HTS. AT 6'-10 7/8" W/ 2-2x12 HDRS. UNDER DOUBLE 2x4 PLATE EXCEPT AS NOTED
 - 2.) ALL PL. HTS. AT 8'-1 1/8" UNLESS NOTED OTHERWISE.
 - 3.) ALL EXTERIOR WALLS & INTERIOR BEARING WALLS TO BE FRAMED 16" O.C.
 - 4.) ALL INTERIOR NON-BEARING WALLS TO BE FRAMED 24" O.C.
 - 5.) CALIFORNIA CORNERS & LADDER LEADS ON ALL EXTERIOR WALLS
 - 6.) ALL INTERIOR DOORS NOT SPECIFIED 3" FROM CORNER FOR CASING.
 - 7.) INSTALL SOFFIT VENTS EVERY 4' UNLESS OTHERWISE NOTED.
 - 8.) ALL MECHANICAL CHASES IN A FLOOR SYSTEM OR ATTIC TO HAVE 3/4" PLYWOOD FIRESTOP.
 - 9.) CONTRACTOR TO TYPAR WALL ABOVE ALL ROOF LINES.

9' WALLS

FIRST FLOOR

SCALE: 3/16"=1'-0"



REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
 SHEET DESCRIPTION:
FIRST FLOOR PLAN

CUSTOMER: ---	PLAN NAME: Truman
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	PRINT DATE: ---
STATE and ZIP: ---, ---	



T/PLATE

SECOND FLOOR

FIRST FLOOR

8'-1 1/8"

1'-0 5/8"

9'-1 1/8"

BRICK

SIDING

WINDOWS

FRONT ELEVATION

SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
 SHEET DESCRIPTION:
ELEVATIONS

PLAN NAME: Truman
 LOT NUMBER: ---
 PRINT DATE: ---

CUSTOMER: ---
 ADDRESS: ---
 CITY: ---
 STATE and ZIP: ---, ---


SHEET NO.
3A

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---	ELEVATIONS
SHEET DESCRIPTION:	

CUSTOMER: ---	PLAN NAME: Truman
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---

SHEET NO.
3B




LEFT ELEVATION

SCALE 1/8"=1'-0"



REAR ELEVATION

SCALE 1/8"=1'-0"



RIGHT ELEVATION


SCALE 1/8"=1'-0"

TRUMAN TRADITIONAL ELEVATION



- DIMENSION NOTES:**
- 1.) ALL EXTERIOR DIMENSION STRINGS ARE SHEATHING UNLESS NOTED OTHERWISE.
 - 2.) ALL INTERIOR STRINGS ARE FRAME TO FRAME.
 - 3.) ALL UNDIMENSIONED WALL THICKNESSES ARE 3 1/2".
 - 4.) ALL EXTERIOR SHEATHING TO BE 1/2" EXCEPT
 - 5.) ALL WINDOWS ARE S.H. UNLESS NOTED OTHERWISE.
- NOTES:**
- 1.) ALL 1ST FLR WDW & SGD. HEAD HTS. AT 6'-10 7/8" W/ 2-2x12 HDRS. UNDER DOUBLE 2x4 PLATE EXCEPT AS NOTED
 - 2.) ALL PL. HTS. AT 8'-1 1/8" UNLESS NOTED OTHERWISE.
 - 3.) ALL EXTERIOR WALLS & INTERIOR BEARING WALLS TO BE FRAMED 16" O.C.
 - 4.) ALL INTERIOR NON-BEARING WALLS TO BE FRAMED 24" O.C.
 - 5.) CALIFORNIA CORNERS & LADDER LEADS ON ALL EXTERIOR WALLS
 - 6.) ALL INTERIOR DOORS NOT SPECIFIED 3" FROM CORNER FOR CASING.
 - 7.) INSTALL SOFFIT VENTS EVERY 4' UNLESS OTHERWISE NOTED.
 - 8.) ALL MECHANICAL CHASES IN A FLOOR SYSTEM OR ATTIC TO HAVE 3/4" PLYWOOD FIRESTOP.
 - 9.) CONTRACTOR TO TYPAR WALL ABOVE ALL ROOF LINES.

9' WALLS



FIRST FLOOR

SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---
SHEET DESCRIPTION: FIRST FLOOR PLAN


PLAN NAME: Truman
LOT NUMBER: ---
PRINT DATE: ---

CUSTOMER: ---
ADDRESS: ---
CITY: ---
STATE and ZIP: ---, ---

SHEET NO. 1

SECOND FLOOR


SCALE: 3/16"=1'-0"



REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---	SECOND FLOOR PLAN
SHEET DESCRIPTION:	

PLAN NAME: Truman	LOT NUMBER: ---	PRINT DATE: ---
CUSTOMER: ---	STATE and ZIP: ---, ---	
ADDRESS: ---		
CITY: ---		



FRONT ELEVATION

SCALE: 3/16"=1'-0"

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---	ELEVATIONS
SHEET DESCRIPTION:	


CUSTOMER: ---	PLAN NAME: Truman
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---

REV. NO.	DATE	REMARKS

COMMUNITY NAME: ---	ELEVATIONS
SHEET DESCRIPTION:	

CUSTOMER: ---	PLAN NAME: Truman
ADDRESS: ---	LOT NUMBER: ---
CITY: ---	STATE and ZIP: ---, ---
	PRINT DATE: ---

SHEET NO.
3B




LEFT ELEVATION

SCALE 1/8"=1'-0"



REAR ELEVATION

SCALE 1/8"=1'-0"



RIGHT ELEVATION

SCALE 1/8"=1'-0"

TRUMAN TUDOR ELEVATION





ARCADIA
Mooreville, Indiana
www.GeneralShale.com
The photo sample is intended to represent general color range and texture. Precise color fidelity is difficult to obtain in print. Brick selection should be made from product samples.
BR 913 0006-010



COPPER CANYON
Mooreville, Indiana
www.GeneralShale.com
The photo sample is intended to represent general color range and texture. Precise color fidelity is difficult to obtain in print. Brick selection should be made from product samples.
BR 913 0006-017



BARNSELY TUDOR
Denver, Colorado
www.GeneralShale.com
The photo sample is intended to represent general color range and texture. Precise color fidelity is difficult to obtain in print. Brick selection should be made from product samples.
BR 913 0006-013



ESSEX TUDOR
Mooreville, Indiana
www.GeneralShale.com
The photo sample is intended to represent general color range and texture. Precise color fidelity is difficult to obtain in print. Brick selection should be made from product samples.
BR 913 0006-012



COOPERS MILL
Mooreville, Indiana
www.GeneralShale.com
The photo sample is intended to represent general color range and texture. Precise color fidelity is difficult to obtain in print. Brick selection should be made from product samples.
BR 913 0006-010



FEDERAL HILL
Mooreville, Indiana
www.GeneralShale.com
The photo sample is intended to represent general color range and texture. Precise color fidelity is difficult to obtain in print. Brick selection should be made from product samples.
BR 913 0006-012





INDIANA LACOSTA
Mooreville, Indiana

www.GeneralShale.com
This photo sample is intended to represent general color range and texture. Precise color fidelity is difficult to obtain in print. Brick selection should be made from product samples.
BR 910 0200-010



SHADOW GREY
Mooreville, Indiana

www.GeneralShale.com
This photo sample is intended to represent general color range and texture. Precise color fidelity is difficult to obtain in print. Brick selection should be made from product samples.
BR 910 0200-010



KEENELAND TUDOR
Mooreville, Indiana

www.GeneralShale.com
This photo sample is intended to represent general color range and texture. Precise color fidelity is difficult to obtain in print. Brick selection should be made from product samples.
BR 910 0200-010



SNOWY RIDGE
Mooreville, Indiana

www.GeneralShale.com
This photo sample is intended to represent general color range and texture. Precise color fidelity is difficult to obtain in print. Brick selection should be made from product samples.
BR 910 0200-010



SAND DUNES
Mooreville, Indiana

www.GeneralShale.com
This photo sample is intended to represent general color range and texture. Precise color fidelity is difficult to obtain in print. Brick selection should be made from product samples.
BR 910 0200-010



WINDSOR WHITE TUDOR
Mooreville, Indiana

www.GeneralShale.com
This photo sample is intended to represent general color range and texture. Precise color fidelity is difficult to obtain in print. Brick selection should be made from product samples.
BR 910 0200-010



Decorative Garage Doors

Provided and Installed by
Overhead Doors



Hardware





JamesHardie

NORTH AMERICA'S #1 BRAND OF SIDING

A beautiful new beginning. Let's get started.

SIDING SHINGLE TRIM MOULDINGS SOFFIT



Make inspired choices every step of the way.

Whether you're building or remodeling, think of your home as a blank canvas. The possibilities are endless. From initial decisions regarding which siding style and colors you prefer to the detailed selections of trim, mouldings, soffit and fascia, give your home's exterior the authentic character and uncompromising performance it deserves.



"I was thrilled to find a cement based siding that I knew would last a long time. We don't have to worry about the elements getting to it over time and we don't have to worry about termites."

Jennifer P. replaced her wood siding with James Hardie fiber cement siding

HardiePlank® Lap Siding Select Cedarmill® Evening Blue
 HardieShingle® Siding Straight Edge Panel Evening Blue
 HardieTrim® Boards Arctic White
 HardieSoffit® Vented Cedarmill® Arctic White






Be true to yourself and your home design.

IT'S TIME TO ELEVATE YOUR HOME

We know this journey feels like a huge undertaking, but we promise it's easier than it seems. When picking the siding style for your home, there are a few things to keep in mind:

1. Authentic design doesn't mean sticking with the status quo. Your home's exterior style should be a combination of the best of the past with something that's also timeless for the future. Suit your lifestyle with siding materials and designs that reflect how you really live. Your home should brighten your every day with a sense of pride at what you've accomplished.

2. Look beyond the surface of the siding to see if the material is designed to withstand the rigors of the climate where you live. While other sidings take a one-size-fits-all approach, only James Hardie® siding and trim are specifically engineered to stand up to the climate where they are used. The unique formulation of our fiber cement siding makes it a better all-around performer than wood-based or vinyl siding, delivering superior resistance to weather, fire and damage from pests.



© 2013-2015 Scripps Networks, LLC. Used with permission; All rights reserved.

3. When considering the cost of siding, take the long view. High-performance fiber cement siding can help you spend less time and money maintaining your home. You're putting a lot of work into this home, and you want to make sure your efforts last for many years to come.

4. Once you've found your siding style, browse the ColorPlus® Technology finish collection to find colors that complement your home's setting and your personality. No other siding brand matches our combination of styles, textures and color finishes to capture the design you desire.

5. The last step to your design process is to pick out the finishing details that really differentiate your home and make it yours. The trim, mouldings, soffit and fascia will complete your home's exterior, giving your home instant curb appeal. When you select a James Hardie Complete Exterior™, the accent pieces work together to complement the siding in both style and performance. All backed by exceptional warranties from a single manufacturer.

NORTH
AMERICA'S
**#1 BRAND
OF SIDING**

Irresistible charm. Lasting character. Beautiful and brilliant. It's easy to get swept away by the James Hardie collection of profiles and products. The closer you look, the more you'll understand why it is North America's most popular brand of siding.

HardiePlank® Lap Siding Select CedarMill® Arctic White
HardieTrim® Boards Arctic White



© Annie Schlechter
As Seen in Country Living Magazine

Captivating and timeless with a modern touch. HardiePlank® lap siding is warm and inviting, reminiscent of summer days spent lounging on the porch, sipping a cool beverage and basking in the comforts of home. Wrap your home in clean, classic lines with low maintenance siding that fits the way you live now. Available in a variety of widths to capture different home styles, you can select the smooth lap siding for a more contemporary style, or enjoy the genuine warmth of wood grain texture. Select a beaded lap board to add detailed horizontal definition for a signature look.



"James Hardie siding was really able to provide the aesthetic I was going for. Now our home looks back to its original, 'Gone with the Wind' farmhouse look and feel."

Holly W. used James Hardie products to re-side her 1800s-era farmhouse.

HardieShingle® Siding Straight Edge Panel Light Mist
HardieTrim® Boards Arctic White



Charming and elegant with historic vibes. HardieShingle® siding is enchanting, reminiscent of sunny days spent relaxing at the shore. Replicate the handcrafted look of cedar that's suggestive of a rustic cottage or grand Cape Cod-style home. Shingle siding adds instant charm to any home – whether it's located a stone's throw from the sea or many leagues away.

.....
With authentic shadow lines in staggered edge and straight edge designs, HardieShingle siding suggests traditional style without the upkeep of wood shingles.

HardiePlank® Lap Siding Smooth Iron Gray
HardiePanel® Vertical Siding Arctic White
HardieTrim® Batten Boards Arctic White
HardieTrim® Boards Arctic White



"Having something we knew would last and would still look good for a long time was a huge factor in our decision."

Chris and Minna Z. replaced fading and cracking cedar siding with James Hardie siding with transformative results.

HardieShingle® Siding Straight Edge Panel Autumn Tan
HardieTrim® Boards Arctic White



HardiePanel® Vertical Siding Light Mist
HardieTrim® Batten Boards Light Mist
HardieTrim® Boards Arctic White

Traveling from the coast to the countryside, HardiePanel® vertical siding transforms homes into modern farmhouses that would feel right at home on the prairie or in the rolling hills. Add HardieTrim® boards for traditional board and batten accents or keep the design clean and contemporary with the panel's smooth texture.

.....
Accentuate your home's most inviting features, or add the appearance of height, by combining panel siding with distinctive trim treatments.

Live colorfully ever after.



EXPRESS YOUR PERSONALITY WITH INSPIRING COMBINATIONS



Color speaks to everyone differently. Some are drawn to light, clean colors, or bright, luscious hues, while others love dark, dramatic shades and neutral, earth tones.

We have a curated collection of ColorPlus® Technology finishes that can capture the look you love. Choose the right color combination with confidence using the dynamic Home Color Tool on our website.

And James Hardie® siding and trim enhanced with ColorPlus® Technology can save you time, money and maintenance headaches down the road. The baked on color retains the look you love longer than house paint applied on site, helping your home look great for years to come. Imagine spending less time maintaining your home and more time enjoying it. See page 17 for details on our advanced ColorPlus process.



Harmonious styles. Looks that last. Climate-specific design. All James Hardie® products work together to complement one another in style and performance.

HardiePlank® Lap Siding Select Cedarmill® Heathered Moss
HardieTrim® Boards Arctic White

Enjoy the look you love, now and for years to come. As you get further into your journey, you'll discover the importance of style that endures. Only James Hardie fiber cement siding and trim are specifically designed to perform beautifully wherever you live. Our HZ5® products resist shrinking, swelling and cracking even after years of wet or freezing conditions. Our HZ10® products stand up to hot, humid conditions, blistering sun and more.

Unlike other brands, James Hardie doesn't prorate its substrate warranties

30-year non-prorated, limited siding warranty
15-year non-prorated, limited trim warranty




The protection will be as strong 15 to 30 years from now as it is today.

HardiePlank® Lap Siding Select Cedarmill® Navajo Beige
HardieShingle® Siding Straight Edge Panel Navajo Beige
HardieTrim® Boards Arctic White



HardiePlank® Lap Siding Smooth Monterey Taupe
HardieTrim® Boards Monterey Taupe

Timeless beauty begins with the finish. Siding and finish choices represent a major investment. Research which products will keep their good looks over time. James Hardie manufactures its siding and trim boards and applies ColorPlus Technology finishes in the same factory. Compare that to wood-based siding that typically relies on third parties for painting. Our controlled, single-source process delivers a more consistent finish that performs better with less maintenance than paint on wood-based siding. Enjoy the peace of mind that comes with our 15-year limited finish warranty.



Superior finish adhesion
Our proprietary coating technology is applied to all surfaces, edges and features for durable performance.



Superior color retention
Finish is baked onto products after each coating step for a stronger bond, which helps resist cracking, peeling and chipping.



Superior UV resistance
Retains vibrancy longer as compared to vinyl siding and field-applied paint on other siding products in all UV conditions.

Select superior siding — it's the easiest decision along the way. Your home should be your rock. James Hardie designs superior strength into every fiber cement board to resist swelling, buckling, warping and splitting, despite what nature brings. No wood, wood-based, vinyl or other fiber cement siding can match our ability to protect your home's exterior from the elements. Before long, wood-based siding can show the effects of damage caused by weather, water, fire and pests. James Hardie siding is specifically engineered to better resist the harsh conditions nature unleashes.



James Hardie® siding

Wood-based siding



VS



Resists Weather*

James Hardie siding
Resists shrinking, swelling and cracking in changing weather

Wood-based siding
Shrinks and swells with changes in heat and humidity




VS



Resists Fire**

James Hardie siding
Won't burn and is endorsed by fire departments nationwide†

Wood-based siding
Will burn when exposed to a significant source of heat or flame



VS



Resists Pests††

James Hardie siding
Won't be eaten by woodpeckers, termites and other pests

Untreated wood-based siding
Subject to damage from woodpeckers, termites and other pests

* All sample pieces were treated and tested under identical conditions.
 ** Unpainted James Hardie and wood-based siding samples were both exposed to a blowtorch for 90 seconds.
 † James Hardie siding complies with ASTM E136 as a noncombustible cladding and is endorsed by fire departments across the U.S. including Marietta, GA, Flagstaff, AZ and Orange County, CA.
 †† Visual representation based on James Hardie research and testing.

James Hardie siding provides authentic design that vinyl siding can't match. Our products are 5x thicker than vinyl siding, providing deeper shadow lines and a warmer wood grain texture with seams that are less visible. When investing in your home, don't be misled by vinyl siding's short-term cost. Its color cannot be changed and can be more susceptible to inconsistent fading. Vinyl siding may also crack, buckle or sag with weather stress and time, possibly diminishing your home's charm and value.



James Hardie® siding


Vinyl siding



VS



VS



VS
Hours of UV
light exposure



Resists Weather*

James Hardie siding

Resists damage from wind, rain, freezing temperatures and hail

Vinyl siding

Can be damaged by hail and may crack, buckle and warp with changing temperatures

Resists Heat**

James Hardie siding

Noncombustible and resists damage from extreme heat

Vinyl siding

Vulnerable to melting caused by flame, grills and Low-E windows

Resists Fading†

James Hardie siding

ColorPlus finishes provide consistent color and high UV resistance

Vinyl siding

Color cannot be changed and fades at noticeably different rates

* Visual representations based on James Hardie research and testing.

** James Hardie siding sample was exposed to a blowtorch for 90 seconds. Vinyl siding was exposed to heat of 140 degrees F for 30 seconds.

† Within a controlled lab environment, samples were exposed to an accelerated QUV test of 2,000 hours.

Imagine your home as a destination spot, where every detail adds to the joy of returning – every day. The home you craft shapes your story. You're ready to elevate your home with enduring style and substance.



Thinking of transforming your current home into your every day getaway? Prepare for your remodel with these helpful checklists.

Important steps for a successful re-side

- Don't just cover up an existing problem. To fix a damaged exterior, the old siding should always be completely removed.
- Have your home inspected for moisture damage, mold, termites or rot. If any of these are found, address the problem to avoid future structural issues.
- Your contractor should apply a weather-resistant barrier, such as HardieWrap® weather barrier. In fact, most building codes now require this.
- Be sure your new siding is installed according to manufacturer's instructions for optimal product performance.

Points to cover when meeting with a contractor

- Make sure the contractor's proposal includes everything you requested and the price is based on the entire project, start to finish.
- Focus on value rather than price – the credentials, attention to detail and provisions for maintaining a safe and tidy workspace are important factors that should also influence your contractor decision.
- Carefully read the contractor's workmanship warranty policy.
- Remember, the proposal is not a contract. Once you get a written contract, compare it to the proposal to ensure all your needs are met.

For homes
designed to
be lived in,
without looking
that way.

HardiePlank® Lap Siding Select Cedarmill® Khaki Brown
HardieTrim® Boards Arctic White

Finishing touches, down to the details. Complete your home's distinctive exterior design with trim, mouldings and soffit that complement your siding and color choices in both style and performance. You can select James Hardie products with confidence, knowing that they have earned the endorsements of trusted authorities across the building industry.



HardiePlank lap siding is backed by the **Good Housekeeping Seal**

BRAND LEADER
Builder
WINNER SINCE 2009

Chosen by builders annually as a **Brand Leader in Builder Magazine**



Green Builder Magazine Readers' Choice, "**Most Sustainable Product**" every year since 2012



Featured on the **DIY Network's Blog Cabin** every year since 2012

Money

Money Magazine singles out **HardiePlank lap siding as a great value**



Featured in **This Old House's Idea Home**, the Farmhouse at Emerson Green 2016

You can also check out more inspirational photos of gorgeous homes with our products on **Houzz and Pinterest**.

Explore your design options with our Home Color Tool at jameshardie.com/color



JamesHardie

Siding | Trim